

Patient Name : Mr.MAROOF AHMAD	Visit No : CHA250033640
Age/Gender : 47 Y/M	Registration ON : 25/Feb/2025 07:59AM
Lab No : 10130936	Sample Collected ON : 25/Feb/2025 08:01AM
Referred By : Dr.ANKUR GUPTA	Sample Received ON : 25/Feb/2025 08:23AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 25/Feb/2025 12:09PM
Doctor Advice : HBA1C (EDTA),HB,CRP (Quantitative),PP,FASTING	




Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C				
Glycosylated Hemoglobin (HbA1c)	5.8	%	4 - 5.7	HPLC (EDTA)

NOTE:-

Glycosylated Hemoglobin Test (HbA1c) is performed in this laboratory by the Gold Standard Reference method, ie: HPLC Technology (High performance Liquid Chromatography D10) from Bio-Rad Laboratories, USA.

EXPECTED (RESULT) RANGE :

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment



CHARAK

[Checked By]

Print.Date/Time: 25-02-2025 12:45:11

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST

Aditi D Agarwal
DR. ADITI D AGARWAL
PATHOLOGIST

Patient Name : Mr.MAROOF AHMAD	Visit No : CHA250033640
Age/Gender : 47 Y/M	Registration ON : 25/Feb/2025 07:59AM
Lab No : 10130936	Sample Collected ON : 25/Feb/2025 08:01AM
Referred By : Dr.ANKUR GUPTA	Sample Received ON : 25/Feb/2025 08:23AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 25/Feb/2025 12:09PM
Doctor Advice : HBA1C (EDTA),HB,CRP (Quantitative),PP,FASTING	



Test Name	Result	Unit	Bio. Ref. Range	Method
CRP-QUANTITATIVE				

CRP-QUANTITATIVE TEST	0.64	MG/L	0.1 - 6
-----------------------	------	------	---------

Method: Immunoturbidimetric

(Method: Immunoturbidimetric on photometry system)

SUMMARY : C - reactive protien (CRP) is the best known among the acute phase protiens, a group of protien whose concentration increases in blood as a response to inflammatory disorders.CRP is normally present in low concentration in blood of healthy individuals (< 1mg/L). It is elevated up to 500 mg/L in acute inflammatory processes associated with bacterial infections, post operative conditions tissue damage already after 6 hours reaching a peak at 48 hours.. The measurement of CRP represents a useful laboratory test for detection of acute infection as well as for monitoring inflammtory proceses also in acute rheumatic & gastrointestinal disease. In recent studies it has been shows that in apparently healthy subjects there is a direct orrelation between CRP concentrations & the risk of developing oronary heart disease (CHD).

hsCRP cut off for risk assessment as per CDC/AHA

Level	Risk
<1.0	Low
1.0-3.0	Average
>3.0	High

All reports to be clinically corelated

CHARAK

[Checked By]

Print.Date/Time: 25-02-2025 12:45:12

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST


Dr. Aditi D Agarwal
DR. ADITI D AGARWAL
PATHOLOGIST

Patient Name : Mr.MAROOF AHMAD	Visit No : CHA250033640
Age/Gender : 47 Y/M	Registration ON : 25/Feb/2025 07:59AM
Lab No : 10130936	Sample Collected ON : 25/Feb/2025 08:01AM
Referred By : Dr.ANKUR GUPTA	Sample Received ON : 25/Feb/2025 08:23AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 25/Feb/2025 11:17AM
Doctor Advice : HBA1C (EDTA),HB,CRP (Quantitative),PP,FASTING	



Test Name	Result	Unit	Bio. Ref. Range	Method
HAEMOGLOBIN				
Hb	15.1	g/dl	12 - 15	Non Cyanide
Comment: Hemoglobin screening helps to diagnose conditions that affect RBCs such as anemia or polycythemia.				
FASTING				
Blood Sugar Fasting	121.6	mg/dl	70 - 110	Hexokinase
PP				
Blood Sugar PP	152.7	mg/dl	up to - 170	Hexokinase

*** End Of Report ***



CHARAK



[Checked By]

DR. NISHANT SHARMA PATHOLOGIST
DR. SHADAB PATHOLOGIST
DR. ADITI D AGARWAL PATHOLOGIST

Aditi D Agarwal