Charak dhar DIAGNOSTICS Pvt. Ltd.

292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003 Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360 E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

		Certificate No. MIS-2023-0218
Patient Name	: Mr.FARHAD KHAN	Visit No : CHA250034442
Age/Gender	: 26 Y/M	Registration ON : 26/Feb/2025 08:15AM
Lab No	: 10131738	Sample Collected ON : 26/Feb/2025 08:17AM
Referred By	: Dr.SANDEEP KR GUPTA	Sample Received ON : 26/Feb/2025 08:35AM
Refer Lab/Hosp	: CHARAK NA	Report Generated ON : 26/Feb/2025 10:07AM
Doctor Advice	. T3T4TSH	

Test N	lame	Result	Unit	Bio. Ref. Range	Method
T3T4TSH					
Т3		2.05	nmol/L	1.49-2.96	ECLIA
Τ4		126.11	n mol/l	<u>63 - 1</u> 77	ECLIA
TSH		9.57	ulU/ml	0.47 - 4.52	ECLIA

Note

(1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile mysedema or autoimmune disorders.

(2) Patients having low T3 & T4 levels but high TSH levels suffer from grave~s disease, toxic adenoma or sub-acute thyroiditis.

(3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

(4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.

(5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.

(6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the cacabolic state and may revert tonormal when the patient recovers.

(7) There are many drugs for eg.Glucocorticoids ,dopamine,Lithium,iodides ,oral radiographic dyes,ets.Which may affect the thyroid function tests.

(8) Generally when total T3& T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with

(1 Beckman DxI-600 2. ELECTRO-CHEMILUMINISCENCE TECHINIQUE BY ELECSYSYS -E411)









DR. NISHANT SHARMA DR. SHADAB PATHOLOGIST PATHOLOGIST

AB Dr. SYED SAIF AHMAD GIST MD (MICROBIOLOGY) Page 1 of 1

MC-2491 Print.Date/Time: 26-02-2025 10:48:10 *Patient Identity Has Not Been Verified. Not For Medicolega

PR