

Patient Name : Ms. SHILPI 8016
Age/Gender : 31 Y O M O D /F
Lab No : 10131834
Referred By : Dr.CHANDRAWATI **
Refer Lab/Hosp : KMC
Doctor Advice : TOTAL BILE ACIDS

Visit No : CHA250034538
Registration ON : 26/Feb/2025 09:50AM
Sample Collected ON : 26/Feb/2025 09:53AM
Sample Received ON : 26/Feb/2025 09:58AM
Report Generated ON : 26/Feb/2025 12:07PM



Test Name	Result	Unit	Bio. Ref. Range	Method
TOTAL BILE ACIDS				
TOTAL BILE ACIDS	8.00	umol/l	2.0 - 10	Enzymatic cyclic method

INTERPRETATION:

- Used for diagnosis and prognosis of liver disease like hepatitis and biliary sclerosis.
- Abnormal levels in fasting patient or immediately after a meal can be used to detect liver disease and damage, impaired liver function, intestinal dysfunction and gall bladder blockage, hepatocellular carcinoma.
- Most sensitive test for obstetric cholestasis in pregnancy.
- It detects liver disease earlier than standard liver tests because bile acid levels correspond to liver function rather than liver damage.

*** End Of Report ***

CHARAK

[Checked By]

Print.Date/Time: 26-02-2025 12:40:53

*Patient Identity Has Not Been Verified. Not For Medicolegal



Sharma

DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST

Dr. SYED SAIF AHMAD
MD (MICROBIOLOGY)