

Patient Name : Mr.RAFI AHMAD	Visit No : CHA250035189
Age/Gender : 61 Y/M	Registration ON : 27/Feb/2025 09: 27AM
Lab No : 10132485	Sample Collected ON : 27/Feb/2025 09: 29AM
Referred By : Dr.YOGESH KUMAR ARORA	Sample Received ON : 27/Feb/2025 09: 41AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 27/Feb/2025 10: 52AM
Doctor Advice : TSH,URIC ACID	



Test Name	Result	Unit	Bio. Ref. Range	Method
URIC ACID				
Sample Type : SERUM				
SERUM URIC ACID	6.7	mg/dL	2.40 - 5.70	Uricase,Colorimetric



CHARAK

[Checked By]

Print.Date/Time: 27-02-2025 11:38:34

*Patient Identity Has Not Been Verified. Not For Medicolegal



Sharma

DR. NISHANT SHARMA PATHOLOGIST
DR. SHADAB PATHOLOGIST
Dr. SYED SAIF AHMAD MD (MICROBIOLOGY)

Patient Name : Mr.RAFI AHMAD	Visit No : CHA250035189
Age/Gender : 61 Y/M	Registration ON : 27/Feb/2025 09:27AM
Lab No : 10132485	Sample Collected ON : 27/Feb/2025 09:29AM
Referred By : Dr.YOGESH KUMAR ARORA	Sample Received ON : 27/Feb/2025 09:41AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 27/Feb/2025 11:02AM
Doctor Advice : TSH,URIC ACID	



Test Name	Result	Unit	Bio. Ref. Range	Method
TSH				
TSH	2.31	uIU/ml	0.47 - 4.52	ECLIA

Note

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism,cretinism,juvenile mysedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave~s disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the cacabolic state and may revert tonormal when the patient recovers.
- (7) There are many drugs for eg.Glucocorticoids ,dopamine,Lithium,iodides ,oral radiographic dyes,ets.Which may affect the thyroid function tests.
- (8) Generally when total T3& T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with
(1 Beckman Dxi-600 2. ELECTRO-CHEMILUMINISCENCE TECHINIQUE BY ELECSYSYS -E411)

*** End Of Report ***

CHARAK



[Checked By]



Sharma

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)