

PPD

MANTOUX TEST

| TEST | PAT | IENT VALUE | UN | NITS | |
|--|------------------------|------------------|---------------|------|--|
| Dose | 0.1 ml of 10 IU P.P.D. | | | | |
| Route | Injected Intradermally | | | | |
| Time | 72 hrs. | | | | |
| Erythema | 03 | | mm. | | |
| Induration | 02 | | mm. | | |
| Remark | Negativ | ve. | | | |
| | | | | | |
| * Interpretation | | | | | |
| - | | | | | |
| Positive reaction | | | | | |
| Induration & ery | thema of 10 | m.m. or above is | suggestive of | | |
| positive screening | | | | | |
| Negative reaction | | | | | |
| Induration & erythema of < 6 m.m. should be considered as | | | | | |
| negative screening | | | | | |
| Doubtful case | | | | | |
| Induration & erythema of 6-9 m.m. diameter (may due to | | | | | |
| atypical mycobacterium). | | | | | |
| Limitation of the test | | | | | |
| The condition like measles, mumps, polio, malignancy, | | | | | |
| Hodgkin may hinder the activity gives false negative result. | | | | | |
| A positive reaction does not always indicate active disease. | | | | | |
| 1 | | - | | | |

*** End Of Report ***



[Checked By]

Print.Date/Time: 01-03-2025 11:40:12 *Patient Identity Has Not Been Verified. Not For Medicolegal DR. SYED SAIF AHMAD DR. NISHANT SHARMA DR. SHADAB PATHOLOGIST MD MICROBIOLOGY

PATHOLOGIST