

292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100. Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms. MAMTA SRIVASTAVA Visit No : CHA250036569

Age/Gender Registration ON : 54 Y/F : 28/Feb/2025 09:53PM Lab No Sample Collected ON : 10133865 : 28/Feb/2025 09:54PM Referred By : Dr.IP DIAGNOSTIC Sample Received ON : 28/Feb/2025 10:29PM Refer Lab/Hosp : LAB RATE Report Generated ON : 01/Mar/2025 03:07AM

Doctor Advice : HCV,HBSAg,HIV,CBC (WHOLE BLOOD)



Test Name	Result	Unit	Bio. Ref. Range	Method	

HEPATITIS B SURFACE ANTIGEN (HBsAg)
Sample Type : SERUM

HEPATITIS B SURFACE ANTIGEN NON REACTIVE <1 - Non Reactive CMIA

>1 - Reactive

Note: This is only a Screening test. Confirmation of the res<mark>ult (Non Reactive/Reactive)should be done by performing a PCR based test.</mark>

## COMMENTS:

PR.

-HBsAg is the first serological marker after infection with Hepatitis B Virus appearing one to ten weeks after exposure and two to eight weeks before the onset of clinical symptoms. HBsAg persists during the acute phase and clears late in the convalescence phase. Failure to clear HBsAg within six months indicates a chronic HBsAg carrier state. HBsAg assays are used to identify the persons infected with HBV and to prevent transmission of the virus by blood and blood products as well as to monitor the status of infected individuals in combination with other hepatitis B serological markers.

-Borderline cases must be confirmed with confirmatory neutralizing assay

## LIMITATIONS:

- -Results should be used in conjunction with patient history and other hepatitis markers for diagnosis of acute and chronic infections
- -Specimens from patients who have received preparations of mouse monoclonal antibodies for diagnosis or therapy may contain human anti-mouse antibodies (HAMA) which may produce anomalous values when tested with assay kits that employs mouse monoclonal antibodies.
- -Heterophilic antibodies in human serum can react with reagent immunoglobulins, interfering with in vitro immunoassays. Patients routinely exposed to animals or animal serum products can be prone to this interference and anomalous results may be observed.
- -Cross reactivity for specimens from individual with medical conditions (Pregnancy, HIV etc) has been observed
- -HBsAg mutations may result in a false negative result in some HBsAg assays.
  -If HBsAg results are inconsistent with clinical evidence, additional testing is suggested to confirm the result.



[Checked By]

DR. NISHANT SHARMA DR. SHADAB
PATHOLOGIST PATHOLOGIS



292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933. 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABLReg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms.MAMTA SRIVASTAVA

Age/Gender : 54 Y/F Lab No

: 10133865 Referred By : Dr.IP DIAGNOSTIC

Refer Lab/Hosp : LAB RATE

HCV, HBSAg, HIV, CBC (WHOLE BLOOD) Doctor Advice :

Visit No : CHA250036569

Registration ON : 28/Feb/2025 09:53PM

Sample Collected ON : 28/Feb/2025 09:54PM Sample Received ON : 28/Feb/2025 10:29PM

Report Generated ON : 01/Mar/2025 03:07AM



Test Name	Result	Unit	Bio. Ref. Range	Method
HIV				

< 1.0 : NON REACTIVE **HIV-SEROLOGY** NON REACTIVE >1.0: REACTIVE

Done by: Vitros ECI (Sandwich Assay)

Note:-Elisa test is a screening method for HIV.It is known to give false Positive & Negative result.

Hence confirmation: "Western Blot" method is advised.

## **HEPATITIS C VIRUS (HCV) ANTIBODIES**

HEPATITIS C VIRUS (HCV) ANTIBODIES NON REACTIVE

Non Reactive

## (TRIO DOT ASSAY)

Note: This is only a Screening test. Confirmation of the result (Non Reactive/Reactive) should be done by performing a PCR based test.







292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms.MAMTA SRIVASTAVA

Age/Gender : 54 Y/F Lab No : 10133865 Referred By : Dr.IP DIAGNOSTIC

Refer Lab/Hosp : LAB RATE

P.R.

HCV,HBSAg,HIV,CBC (WHOLE BLOOD) Doctor Advice :

Visit No : CHA250036569

Sample Received ON

Registration ON : 28/Feb/2025 09:53PM Sample Collected ON : 28/Feb/2025 09:54PM

Report Generated ON : 01/Mar/2025 09:45AM



: 28/Feb/2025 10:20PM

Test Name	Result	Unit	Bio. Ref. Range	Method
CBC (COMPLETE BLOOD COUNT)				
Hb	10.5	g/dl	12 - 15	Non Cyanide
R.B.C. COUNT	3.80	mil/cmm	3.8 - 4.8	Electrical
				Impedence
PCV	33.7	%	36 - 45	Pulse hieght
				detection
MCV	87.8	fL	80 - 96	calculated
MCH	27.3	pg	27 - 33	Calculated
MCHC	31.2	g/dL	30 - 36	Calculated
RDW	14.6	%	11 - 15	RBC histogram
				derivation
RETIC	1.0 %	%	0.5 - 2.5	Microscopy
TOTAL LEUCOCYTES COUNT	1 <mark>2300</mark>	/cmm	4000 - 10000	Flocytrometry
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHIL	62	%	40 - 75	Flowcytrometry
LYMPHOCYTES	32	%	25 - 45	Flowcytrometry
EOSINOPHIL	2	%	1 - 6	Flowcytrometry
MONOCYTE	4	%	2 - 10	Flowcytrometry
BASOPHIL	0	%	00 - 01	Flowcytrometry
PLATELET COUNT	281,000	/cmm	150000 - 450000	Elect Imped
PLATELET COUNT (MANUAL)	281000	/cmm	150000 - 450000	Microscopy .
Absolute Neutrophils Count	7,626	/cmm	2000 - 7000	Calculated
Absolute Lymphocytes Count	3,936	/cmm	1000-3000	Calculated
Absolute Eosinophils Count	246	/cmm	20-500	Calculated
Absolute Monocytes Count	492	/cmm	200-1000	Calculated
Mentzer Index	23			
Peripheral Blood Picture	:			

Red blood cells show cytopenia + with normocytic normochromic. WBCs show leucocytosis. Platelets are adequate. No immature cells or parasite seen.

\*\*\* End Of Report \*\*\*





DR. NISHANT SHARMA DR. SHADAB