

Patient Name : Ms.AFREEN KHAN	Visit No : CHA250036695
Age/Gender : 34 Y/F	Registration ON : 01/Mar/2025 09:11AM
Lab No : 10133991	Sample Collected ON : 01/Mar/2025 09:12AM
Referred By : Dr.MOHD FURQAN	Sample Received ON : 01/Mar/2025 09:42AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 01/Mar/2025 11:07AM
Doctor Advice : NA+K+,CREATININE,UREA,T3T4TSH	



Test Name	Result	Unit	Bio. Ref. Range	Method
NA+K+				
SODIUM Serum	138.0	MEq/L	135 - 155	ISE Direct
POTASSIUM Serum	4.7	MEq/L	3.5 - 5.5	ISE Direct
BLOOD UREA				
BLOOD UREA	30.40	mg/dl	15 - 45	Urease, UV, Serum
SERUM CREATININE				
CREATININE	0.60	mg/dl	0.50 - 1.40	Alkaline picrate-kinetic



CHARAK



[Checked By]



Sharma

DR. NISHANT SHARMA PATHOLOGIST DR. SHADAB PATHOLOGIST Dr. SYED SAIF AHMAD MD (MICROBIOLOGY)

Patient Name : Ms.AFREEN KHAN	Visit No : CHA250036695
Age/Gender : 34 Y/F	Registration ON : 01/Mar/2025 09:11AM
Lab No : 10133991	Sample Collected ON : 01/Mar/2025 09:12AM
Referred By : Dr.MOHD FURQAN	Sample Received ON : 01/Mar/2025 09:42AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 01/Mar/2025 11:07AM
Doctor Advice : NA+K+,CREATININE,UREA,T3T4TSH	



Test Name	Result	Unit	Bio. Ref. Range	Method
T3T4TSH				
T3	1.80	nmol/L	1.49-2.96	ECLIA
T4	102.00	n mol/l	63 - 177	ECLIA
TSH	2.20	uIU/ml	0.47 - 4.52	ECLIA

Note

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave's disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- (7) There are many drugs for eg. Glucocorticoids, dopamine, Lithium, iodides, oral radiographic dyes, etc. Which may affect the thyroid function tests.
- (8) Generally when total T3 & T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with

(1 Beckman Dxi-600 2. ELECTRO-CHEMILUMINESCENCE TECHNIQUE BY ELECSYS -E411)

*** End Of Report ***

CHARAK



[Checked By]

MC-2491 Print.Date/Time: 01-03-2025 17:40:10
*Patient Identity Has Not Been Verified. Not For Medicolegal



Sharma

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)