

Patient Name : Mr.SANJIV KUMAR  
Age/Gender : 50 Y/M  
**Lab No : 10134506**  
Referred By : Dr.RDSO LUCKNOW  
Refer Lab/Hosp : RDSO LUCKNOW  
Doctor Advice : HBA1C (EDTA)

Visit No : CHA250037210  
Registration ON : 01/Mar/2025 03:56PM  
Sample Collected ON : 01/Mar/2025 04:02PM  
Sample Received ON : 01/Mar/2025 04:16PM  
Report Generated ON : 01/Mar/2025 05:03PM



Test Name	Result	Unit	Bio. Ref. Range	Method
<b>HBA1C</b>				
Glycosylated Hemoglobin (HbA1c )	<b>6.0</b>	%	4 - 5.7	HPLC (EDTA)

**NOTE:-**

Glycosylated Hemoglobin Test (HbA1c) is performed in this laboratory by the Gold Standard Reference method, ie: HPLC Technology (High performance Liquid Chromatography D10) from Bio-Rad Laboratories. USA.

**EXPECTED ( RESULT ) RANGE :**

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment

\*\*\* End Of Report \*\*\*

**CHARAK**

[Checked By]

Print.Date/Time: 01-03-2025 17:35:18

\*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA  
PATHOLOGIST

DR. SHADAB  
PATHOLOGIST

*Dr. Aditi D Agarwal*  
DR. ADITI D AGARWAL  
PATHOLOGIST