

Patient Name : Mr. ASHUTOSH KUMAR	Visit No : CHA250037229
Age/Gender : 51 Y/M	Registration ON : 01/Mar/2025 04: 08PM
Lab No : 10134525	Sample Collected ON : 01/Mar/2025 04: 08PM
Referred By : Dr. RDSO LUCKNOW	Sample Received ON : 01/Mar/2025 04: 14PM
Refer Lab/Hosp : RDSO LUCKNOW	Report Generated ON : 01/Mar/2025 08: 45PM
Doctor Advice : HBA1C (EDTA)	



Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C				
Glycosylated Hemoglobin (HbA1c)	5.7	%	4 - 5.7	HPLC (EDTA)

NOTE:-

Glycosylated Hemoglobin Test (HbA1c) is performed in this laboratory by the Gold Standard Reference method, ie: HPLC Technology (High performance Liquid Chromatography D10) from Bio-Rad Laboratories. USA.

EXPECTED (RESULT) RANGE :

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment

*** End Of Report ***

CHARAK

[Checked By]

Print.Date/Time: 01-03-2025 21:20:14

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST

Dr. Aditi D Agarwal
DR. ADITI D AGARWAL
PATHOLOGIST