


Patient Name : Ms.RITESH KUMARI	Visit No : CHA250037622
Age/Gender : 33 Y/F	Registration ON : 02/Mar/2025 11:45AM
Lab No : 10134917	Sample Collected ON : 02/Mar/2025 11:46AM
Referred By : Dr.MANISH TANDON	Sample Received ON : 02/Mar/2025 11:51AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 02/Mar/2025 02:49PM
Doctor Advice : HCV,HBSAg,HIV,PT/PC/INR,USG WHOLE ABDOMEN,T3T4TSH,RANDOM,Albumin,CREATININE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
SERUM ALBUMIN				
ALBUMIN	4.6	gm/dl	3.20 - 5.50	Bromcresol Green (BCG)

PT/PC/INR				
PROTHROMBIN TIME	13 Second		13 Second	Clotting Assay
Prothrombin concentration	100 %		100 %	
INR (International Normalized Ratio)	1.00		1.0	



CHARAK

[Checked By]

Print.Date/Time: 02-03-2025 15:26:48

*Patient Identity Has Not Been Verified. Not For Medicolegal



Sharma

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Ms.RITESH KUMARI	Visit No : CHA250037622
Age/Gender : 33 Y/F	Registration ON : 02/Mar/2025 11:45AM
Lab No : 10134917	Sample Collected ON : 02/Mar/2025 11:46AM
Referred By : Dr.MANISH TANDON	Sample Received ON : 02/Mar/2025 11:51AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 02/Mar/2025 02:49PM
Doctor Advice : HCV,HBSAg,HIV,PT/PC/INR,USG WHOLE ABDOMEN,T3T4TSH,RANDOM,Albumin,CREATININE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
HEPATITIS B SURFACE ANTIGEN (HBsAg)				
Sample Type : SERUM				

HEPATITIS B SURFACE ANTIGEN	REACTIVE (9960)		<1 - Non Reactive >1 - Reactive	CMIA
-----------------------------	--------------------	--	------------------------------------	------

Note: This is only a Screening test. Confirmation of the result (Non Reactive/Reactive)should be done by performing a PCR based test.

COMMENTS:

- HBsAg is the first serological marker after infection with Hepatitis B Virus appearing one to ten weeks after exposure and two to eight weeks before the onset of clinical symptoms. HBsAg persists during the acute phase and clears late in the convalescence phase. Failure to clear HBsAg within six months indicates a chronic HBsAg carrier state. HBsAg assays are used to identify the persons infected with HBV and to prevent transmission of the virus by blood and blood products as well as to monitor the status of infected individuals in combination with other hepatitis B serological markers.
- Borderline cases must be confirmed with confirmatory neutralizing assay.

LIMITATIONS:

- Results should be used in conjunction with patient history and other hepatitis markers for diagnosis of acute and chronic infections.
- Specimens from patients who have received preparations of mouse monoclonal antibodies for diagnosis or therapy may contain human anti-mouse antibodies (HAMA) which may produce anomalous values when tested with assay kits that employs mouse monoclonal antibodies.
- Heterophilic antibodies in human serum can react with reagent immunoglobulins, interfering with in vitro immunoassays. Patients routinely exposed to animals or animal serum products can be prone to this interference and anomalous results may be observed.
- Cross reactivity for specimens from individual with medical conditions (Pregnancy, HIV etc) has been observed.
- HBsAg mutations may result in a false negative result in some HBsAg assays.
- If HBsAg results are inconsistent with clinical evidence, additional testing is suggested to confirm the result.

[Checked By]

Print.Date/Time: 02-03-2025 15:26:48

*Patient Identity Has Not Been Verified. Not For Medicolegal



Sharma

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Ms.RITESH KUMARI	Visit No : CHA250037622
Age/Gender : 33 Y/F	Registration ON : 02/Mar/2025 11:45AM
Lab No : 10134917	Sample Collected ON : 02/Mar/2025 11:46AM
Referred By : Dr.MANISH TANDON	Sample Received ON : 02/Mar/2025 11:51AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 02/Mar/2025 02:49PM
Doctor Advice : HCV,HBSAg,HIV,PT/PC/INR,USG WHOLE ABDOMEN,T3T4TSH,RANDOM,Albumin,CREATININE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

HIV

HIV-SEROLOGY	NON REACTIVE	<1.0 : NON REACTIVE >1.0 : REACTIVE
--------------	--------------	--

Done by: Vitros ECI (Sandwich Assay)


Note:-Elisa test is a screening method for HIV.It is known to give false Positive & Negative result.
Hence confirmation:"Western Blot" method is advised.

HEPATITIS C VIRUS (HCV) ANTIBODIES

HEPATITIS C VIRUS (HCV) ANTIBODIES	NON REACTIVE	Non Reactive
------------------------------------	--------------	--------------

(TRIO DOT ASSAY)

Note:This is only a Screening test. Confirmation of the result (Non Reactive/Reactive)should be done by performing a PCR based test.



CHARAK

[Checked By]

Print.Date/Time: 02-03-2025 15:26:49

*Patient Identity Has Not Been Verified. Not For Medicolegal



Sharma

DR. NISHANT SHARMA PATHOLOGIST	DR. SHADAB PATHOLOGIST	Dr. SYED SAIF AHMAD MD (MICROBIOLOGY)
-----------------------------------	---------------------------	--

Patient Name : Ms.RITESH KUMARI	Visit No : CHA250037622
Age/Gender : 33 Y/F	Registration ON : 02/Mar/2025 11:45AM
Lab No : 10134917	Sample Collected ON : 02/Mar/2025 11:46AM
Referred By : Dr.MANISH TANDON	Sample Received ON : 02/Mar/2025 11:53AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 02/Mar/2025 01:09PM
Doctor Advice : HCV,HBSAg,HIV,PT/PC/INR,USG WHOLE ABDOMEN,T3T4TSH,RANDOM,Albumin,CREATININE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
CBC (COMPLETE BLOOD COUNT)				
Hb	7.2	g/dl	12 - 15	Non Cyanide
R.B.C. COUNT	3.40	mil/cmm	3.8 - 4.8	Electrical Impedence
PCV	26.5	%	36 - 45	Pulse hieght detection
MCV	78.2	fL	80 - 96	calculated
MCH	21.2	pg	27 - 33	Calculated
MCHC	27.2	g/dL	30 - 36	Calculated
RDW	18.6	%	11 - 15	RBC histogram derivation
RETIC	0.9 %	%	0.5 - 2.5	Microscopy
TOTAL LEUCOCYTES COUNT	4190	/cmm	4000 - 10000	Flocytometry
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHIL	59	%	40 - 75	Flowcytometry
LYMPHOCYTES	37	%	25 - 45	Flowcytometry
EOSINOPHIL	2	%	1 - 6	Flowcytometry
MONOCYTE	2	%	2 - 10	Flowcytometry
BASOPHIL	0	%	00 - 01	Flowcytometry
PLATELET COUNT	171,000	/cmm	150000 - 450000	Elect Imped..
PLATELET COUNT (MANUAL)	171000	/cmm	150000 - 450000	Microscopy .
Absolute Neutrophils Count	2,472	/cmm	2000 - 7000	Calculated
Absolute Lymphocytes Count	1,550	/cmm	1000-3000	Calculated
Absolute Eosinophils Count	84	/cmm	20-500	Calculated
Absolute Monocytes Count	84	/cmm	200-1000	Calculated
Mentzer Index	23			
Peripheral Blood Picture	:			

Red blood cells are cytopenia, macrocytic hypochromic with anisocytosis+. Platelets are adequate. No immature cells or parasite seen.



[Checked By]



Sham

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Ms.RITESH KUMARI	Visit No : CHA250037622
Age/Gender : 33 Y/F	Registration ON : 02/Mar/2025 11:45AM
Lab No : 10134917	Sample Collected ON : 02/Mar/2025 11:46AM
Referred By : Dr.MANISH TANDON	Sample Received ON : 02/Mar/2025 11:51AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 02/Mar/2025 01:09PM
Doctor Advice : HCV,HBSAg,HIV,PT/PC/INR,USG WHOLE ABDOMEN,T3T4TSH,RANDOM,Albumin,CREATININE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
BLOOD SUGAR RANDOM				
BLOOD SUGAR RANDOM	102.3	mg/dl	70 - 170	Hexokinase
SERUM CREATININE				
CREATININE	0.60	mg/dl	0.50 - 1.40	Alkaline picrate-kinetic
LIVER FUNCTION TEST				
TOTAL BILIRUBIN	1.86	mg/dl	0.4 - 1.1	Diazonium Ion
CONJUGATED (D. Bilirubin)	0.32	mg/dL	0.00-0.30	Diazotization
UNCONJUGATED (I.D. Bilirubin)	1.54	mg/dL	0.1 - 1.0	Calculated
ALK PHOS	56.30	U/L	30 - 120	PNPP, AMP Buffer
SGPT	26.0	U/L	5 - 40	UV without P5P
SGOT	24.0	U/L	5 - 40	UV without P5P

CHARAK



[Checked By]



Sham

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Ms.RITESH KUMARI	Visit No : CHA250037622
Age/Gender : 33 Y/F	Registration ON : 02/Mar/2025 11:45AM
Lab No : 10134917	Sample Collected ON : 02/Mar/2025 11:46AM
Referred By : Dr.MANISH TANDON	Sample Received ON : 02/Mar/2025 11:51AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 02/Mar/2025 12:38PM
Doctor Advice : HCV,HBSAg,HIV,PT/PC/INR,USG WHOLE ABDOMEN,T3T4TSH,RANDOM,Albumin,CREATININE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
T3T4TSH				
T3	1.87	nmol/L	1.49-2.96	ECLIA
T4	154.16	n mol/l	63 - 177	ECLIA
TSH	2.20	uIU/ml	0.47 - 4.52	ECLIA

Note

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism,cretinism,juvenile mysedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave~s disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the cacabolic state and may revert tonormal when the patient recovers.
- (7) There are many drugs for eg.Glucocorticoids ,dopamine,Lithium,iodides ,oral radiographic dyes,ets.Which may affect the thyroid function tests.
- (8) Generally when total T3& T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with
(1 Beckman Dxl-600 2. ELECTRO-CHEMILUMINISCENCE TECHINIQUE BY ELECSYSYS -E411)

*** End Of Report ***



[Checked By]



DR. NISHANT SHARMA DR. SHADAB DR. ADITI D AGARWAL
PATHOLOGIST PATHOLOGIST PATHOLOGIST

Signature

Patient Name	: Ms.RITESH KUMARI	Visit No	: CHA250037622
Age/Gender	: 33 Y/F	Registration ON	: 02/Mar/2025 11:45AM
Lab No	: 10134917	Sample Collected ON	: 02/Mar/2025 11:45AM
Referred By	: Dr.MANISH TANDON	Sample Received ON	:
Refer Lab/Hosp	: CHARAK NA	Report Generated ON	: 02/Mar/2025 01:02PM

ULTRASOUND STUDY OF WHOLE ABDOMEN

- **Liver is mildly enlarged in size, and shows increased echotexture of liver parenchyma.** No intrahepatic biliary radicle dilatation is seen. No space occupying lesion is seen. Hepatic veins and IVC are seen normally.
- **Gall bladder** is normal in size and shows anechoic lumen. No calculus / mass lesion is seen. GB walls are not thickened
- **CBD** is normal at porta. No obstructive lesion is seen.
- **Portal vein** Portal vein is normal at porta.
- **Pancreas** is normal in size and shows homogenous echotexture of parenchyma. PD is not dilated. No parenchymal calcification is seen. No peripancreatic collection is seen.
- **Spleen is mildly enlarged in size** and shows homogenous echotexture of parenchyma. No SOL is seen.
- No retroperitoneal adenopathy is seen.
- No ascites is seen.
- **Both kidneys** are normal in size and position. No hydronephrosis is seen. No calculus or mass lesion is seen. Cortico-medullary differentiation is well maintained. Parenchymal thickness is normal. No scarring is seen. Right kidney measures 97 x 42 mm in size. Left kidney measures 96 x 36mm in size.
- **Ureters** Both ureters are not dilated. UVJ are seen normally.
- **Urinary bladder** is normal in contour with anechoic lumen. No calculus or mass lesion is seen. UB walls are not thickened.
- **Uterus is bulky in size, measures 96 x 57 x 50mm** and shows homogenous myometrial echotexture. Endometrial thickness measures 5.0 mm. No endometrial collection is seen. No mass lesion is seen.
- **Cervix** is normal.
- **Both ovaries show tiny multiple (>10) cystic areas measuring 4-5mm. Right ovary measures 32x 33x 28mm with vol. 15cc . Left ovary measures 33x 32x 24 mm with vol. 14cc.**
- No free fluid is seen in Cul-de-Sac.

OPINION:

- **MILD HEPATO-SPLENOMEGALY WITH FATTY INFILTRATION OF LIVER GRADE-I.**
- **BILATERAL POLYCYSTIC OVARIAN PATTERN...Adv: hormonal assay.**
- **BULKY UTERUS.**

Clinical correlation is necessary.

[DR. R.K. SINGH, MD]

Transcribed By: Purvi



Patient Name	: Ms.RITESH KUMARI	Visit No	: CHA250037622
Age/Gender	: 33 Y/F	Registration ON	: 02/Mar/2025 11:45AM
Lab No	: 10134917	Sample Collected ON	: 02/Mar/2025 11:45AM
Referred By	: Dr.MANISH TANDON	Sample Received ON	:
Refer Lab/Hosp	: CHARAK NA	Report Generated ON	: 02/Mar/2025 01:02PM

*** End Of Report ***

