

Patient Name : Mr. RAM SARAN	Visit No : CHA250037652
Age/Gender : 35 Y/M	Registration ON : 02/Mar/2025 12:06PM
Lab No : 10134947	Sample Collected ON : 02/Mar/2025 12:11PM
Referred By : Dr. HIFZUR RAHMAN	Sample Received ON : 02/Mar/2025 12:11PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 02/Mar/2025 02:03PM
Doctor Advice : CHEST PA,TSH,URINE C/S,URINE COM. EXMAMINATION	



Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

URINE EXAMINATION REPORT

Colour-U	Light yellow		Light Yellow	
Appearance (Urine)	CLEAR		Clear	
Specific Gravity	1.010		1.005 - 1.025	
pH-Urine	Acidic (6.0)		4.5 - 8.0	
PROTEIN	Absent	mg/dl	ABSENT	Dipstick
Glucose	Absent			
Ketones	Absent		Absent	
Bilirubin-U	Absent		Absent	
Blood-U	Absent		Absent	
Urobilinogen-U	0.20	EU/dL	0.2 - 1.0	
Leukocytes-U	Absent		Absent	
NITRITE	Absent		Absent	
MICROSCOPIC EXAMINATION				
Pus cells / hpf	Occasional	/hpf	< 5/hpf	
Epithelial Cells	Occasional	/hpf	0 - 5	
RBC / hpf	Nil		< 3/hpf	

CHARAK

[Checked By]



Sharma

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Mr. RAM SARAN	Visit No : CHA250037652
Age/Gender : 35 Y/M	Registration ON : 02/Mar/2025 12:06PM
Lab No : 10134947	Sample Collected ON : 02/Mar/2025 12:11PM
Referred By : Dr. HIFZUR RAHMAN	Sample Received ON : 02/Mar/2025 12:37PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 02/Mar/2025 01:26PM
Doctor Advice : CHEST PA,TSH,URINE C/S,URINE COM. EXMAMINATION	



Test Name	Result	Unit	Bio. Ref. Range	Method
TSH				
TSH	0.82	uIU/ml	0.47 - 4.52	ECLIA

Note

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave's disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- (7) There are many drugs for eg. Glucocorticoids, dopamine, Lithium, iodides, oral radiographic dyes, etc. Which may affect the thyroid function tests.
- (8) Generally when total T3 & T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with
(1 Beckman Dxi-600 2. ELECTRO-CHEMILUMINESCENCE TECHNIQUE BY ELECSYS -E411)

*** End Of Report ***



[Checked By]



DR. NISHANT SHARMA PATHOLOGIST
DR. SHADAB PATHOLOGIST
DR. ADITI D AGARWAL PATHOLOGIST

Signature

Patient Name	: Mr.RAM SARAN	Visit No	: CHA250037652
Age/Gender	: 35 Y/M	Registration ON	: 02/Mar/2025 12:06PM
Lab No	: 10134947	Sample Collected ON	: 02/Mar/2025 12:06PM
Referred By	: Dr.HIFZUR RAHMAN	Sample Received ON	:
Refer Lab/Hosp	: CHARAK NA	Report Generated ON	: 02/Mar/2025 01:16PM

SKIAGRAM CHEST PA VIEW

- Both lung fields are clear.
- Bilateral hilar shadows are normal.
- Cardiac shadow is within normal limits.
- Both CP angles are clear.
- Soft tissue and body cage are seen normally.
- Both domes of diaphragm are sharply defined.

OPINION

- **NO ACTIVE LUNG PARENCHYMAL LESION IS DISCERNIBLE.**

Clinical correlation is necessary.

[DR. RAJESH KUMAR SHARMA, MD]

Transcribed by Gausiya

*** End Of Report ***

