

Patient Name	: Mr.JAI PRAKASH CHAWLA	Visit No	: CHA250037995
Age/Gender	: 52 Y/M	Registration ON	: 03/Mar/2025 10:39AM
Lab No	: 10135290	Sample Collected ON	: 03/Mar/2025 10:39AM
Referred By	: Dr.ESIC HOSPITAL LUCKNOW	Sample Received ON	:
Refer Lab/Hosp	: ESIC HOSPITAL LUCKNOW	Report Generated ON	: 03/Mar/2025 12:13PM

NCCT STUDY OF PARANASAL SINUSES

- Polypoidal mucosal thickening is seen in bilateral maxillary sinuses with occlusion of left osteo-meatal complex.
- *Right maxillary sinus shows accessory ostium.*
- Minimal to mild mucosal thickening is also seen in bilateral frontal and ethmoid sinuses causing partial occlusion of bilateral fronto-ethmoidal and sphenoid-ethmoidal recesses.
- Nasal septum is mildly deviated with convexity towards left side.
- Mild mucosal thickening of bilateral nasal turbinates is seen.
- No mass lesion is seen in nasopharynx or nasal cavity.

IMPRESSION:

- BILATERAL MAXILLARY, ETHMOID AND FRONTAL SINUSITIS.
- DEVIATED NASAL SEPTUM TOWARDS LEFT SIDE.
- MILD MUCOSAL THICKENING OF BILATERAL NASAL TURBINATES.

CHARAK

Clinical correlation is necessary.

[DR. JAYENDRA K. ARYA, MD]

Transcribed by R R...

*** End Of Report ***

