

Patient Name : Baby.ISRA HAROON	Visit No : CHA250038330
Age/Gender : 4 Y 25 D/F	Registration ON : 03/Mar/2025 03:09PM
Lab No : 10135625	Sample Collected ON : 03/Mar/2025 03:14PM
Referred By : Dr.AHSAN AJAZ	Sample Received ON : 03/Mar/2025 03:38PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 03/Mar/2025 04:19PM
Doctor Advice : DIGITAL 1,WIDAL,CRP (Quantitative),CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
CRP-QUANTITATIVE				
CRP-QUANTITATIVE TEST	5.0	MG/L	0.10 - 2.80	

Method: Immunoturbidimetric

(Method: Immunoturbidimetric on photometry system)

SUMMARY : C - reactive protien (CRP) is the best known among the acute phase protiens, a group of protien whose concentration increases in blood as a response to inflammatory disorders.CRP is normally present in low concentration in blood of healthy individuals (< 1mg/L). It is elevated up to 500 mg/L in acute inflammatory processes associated with bacterial infections, post operative conditions tissue damage already after 6 hours reaching a peak at 48 hours.. The measurment of CRP represents a useful aboratory test for detection of acute infection as well as for monitoring inflammtory proceses also in acute rheumatic & gastrointestinal disease. In recent studies it has been shows that in apparently healthy subjects there is a direct orrelation between CRP concentrations & the risk of developing oronary heart disease (CHD).

hsCRP cut off for risk assessment as per CDC/AHA

Level	Risk
<1.0	Low
1.0-3.0	Average
>3.0	High

All reports to be clinically corelated

WIDAL
Sample Type : SERUM

SALMONELLA TYPHI O	1/40
SALMONELLA TYPHI H	1/40
NOTE:	Negative



[Checked By]

Print.Date/Time: 03-03-2025 18:35:41

*Patient Identity Has Not Been Verified. Not For Medicolegal

DR. NISHANT SHARMA PATHOLOGIST
DR. SHADAB PATHOLOGIST
DR. ADITI D AGARWAL PATHOLOGIST

Patient Name : Baby.ISRA HAROON	Visit No : CHA250038330
Age/Gender : 4 Y 25 D/F	Registration ON : 03/Mar/2025 03:09PM
Lab No : 10135625	Sample Collected ON : 03/Mar/2025 03:14PM
Referred By : Dr.AHSAN AJAZ	Sample Received ON : 03/Mar/2025 03:40PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 03/Mar/2025 05:00PM
Doctor Advice : DIGITAL 1,WIDAL,CRP (Quantitative),CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
CBC (COMPLETE BLOOD COUNT)				
Hb	12.1	g/dl	11 - 15	Non Cyanide
R.B.C. COUNT	5.00	mil/cmm	3.7 - 5	Electrical Impedence
PCV	38.5	%	31 - 43	Pulse hieght detection
MCV	77.2	fL	77 - 79	calculated
MCH	24.2	pg	25 - 27	Calculated
MCHC	31.4	g/dL	33 - 35	Calculated
RDW	15.4	%	11 - 15	RBC histogram derivation
RETIC	1.0 %	%	0.3 - 1	Microscopy
TOTAL LEUCOCYTES COUNT	30410	/cmm	5000 - 15000	Flocytometry
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHIL	80	%	25 - 55	Flowcytometry
LYMPHOCYTES	13	%	35 - 65	Flowcytometry
EOSINOPHIL	4	%	1 - 6	Flowcytometry
MONOCYTE	3	%	0 - 8	Flowcytometry
BASOPHIL	0	%	00 - 01	Flowcytometry
PLATELET COUNT	403,000	/cmm	150000 - 500000	Elect Imped..
PLATELET COUNT (MANUAL)	403000	/cmm	150000 - 500000	Microscopy .
Absolute Neutrophils Count	24,328	/cmm	2000 - 7000	Calculated
Absolute Lymphocytes Count	3,953	/cmm	1000-3000	Calculated
Absolute Eosinophils Count	1,216	/cmm	20-500	Calculated
Absolute Monocytes Count	912	/cmm	200-1000	Calculated
Mentzer Index	15			
Peripheral Blood Picture	:			

Red blood cells are normocytic normochromic with anisocytosis+. WBCs show neutrophilic leucocytosis. Platelets are adequate. No parasite seen.

*** End Of Report ***



[Checked By]



DR. NISHANT SHARMA PATHOLOGIST
DR. SHADAB PATHOLOGIST
DR. ADITI D AGARWAL PATHOLOGIST

Signature

Patient Name	: Baby.ISRA HAROON	Visit No	: CHA250038330
Age/Gender	: 4 Y 25 D/F	Registration ON	: 03/Mar/2025 03:09PM
Lab No	: 10135625	Sample Collected ON	: 03/Mar/2025 03:09PM
Referred By	: Dr.AHSAN AJAZ	Sample Received ON	:
Refer Lab/Hosp	: CHARAK NA	Report Generated ON	: 03/Mar/2025 03:47PM

SKIAGRAM CHEST PA VIEW

- Ill defined opacity is seen in right parahilar region --? infective.
- Bilateral hilar shadows are prominent.
- Cardiac shadow is within normal limits.
- Both CP angles are clear.
- Soft tissue and bony cage are seen normally.
- Both domes of diaphragm are sharply defined.

Adv: Repeat X-ray after a course of antibiotics.

[DR. RAJESH KUMAR SHARMA, MD]

Transcribed by Gausiya

*** End Of Report ***

