

Patient Name : Mr.ARJU KUMAR	Visit No : CHA250038328
Age/Gender : 37 Y/M	Registration ON : 03/Mar/2025 03:07PM
<b>Lab No : 10135623</b>	Sample Collected ON : 03/Mar/2025 03:09PM
Referred By : Dr.KGMU	Sample Received ON : 03/Mar/2025 05:35PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 04/Mar/2025 09:08AM
Doctor Advice : FAECAL CALPROTECTIN	



Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

**FAECAL CALPROTECTIN**

FAECAL CALPROTECTIN                      Negative                      NEGATIVE

Sample type: Stool

Method: Rapid Qualitative Immunochromatography

Intpretation:

Positive: Two colored lines, one in control line region(C) and one in test line region(T)

Negative: One colored line in the control line region (C). No line in test line region (T)

Invalid: Control line fails to appear

Note:

This test serves as a marker for inflammatory bowel diseases  
The calprotectin rapid test is a qualitative assay, it only indicates the presence of calprotectin  
The results of this assay are to be correlated clinically  
The calprotectin rapid test can detect levels of calprotectin as low as 50µg/g or 140ng/ml of faeces.

\*\*\* End Of Report \*\*\*

CHARAK

[Checked By]

Print.Date/Time: 04-03-2025 09:40:11

\*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. SYED SAIF AHMAD    DR. NISHANT SHARMA    DR. SHADAB  
MD MICROBIOLOGY      PATHOLOGIST              PATHOLOGIST