

292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

: CHA250038497

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Mr.RAJESH KUMAR GUPTA

 Age/Gender
 : 62 Y/M

 Lab No
 : 10135792

 Referred By
 : Dr.KGMU

Refer Lab/Hosp : CHARAK NA

 Registration ON
 : 03/Mar/2025 06:58PM

 Sample Collected ON
 : 03/Mar/2025 07:09PM

 Sample Received ON
 : 03/Mar/2025 07:18PM

Report Generated ON : 03/Mar/2025 07: 10F W

Doctor Advice : USG GUIDED DIAG., AFB, FLUID PROTEIN, ALBUMIN (FLUID), Sugar (Fluid), TLC Fluid, DLC (Fluid), GRAM S STAIN, ASCITIC FLUID ADA

Visit No

|--|

(BCG)

ASCITIC FLUIF R/M						
Test Name	Result	Unit	Bio. Ref. Range	Method		
TLC Fluid						
TLC (Fluid)	120	/cmm.	Adult: 0-5/cumm,			
			~Neonates: 0-30/cumm			
DLC (Fluid)						
DLC (Fluid)	14%- Polymorphs,86% Lymphocytes,RB0		Neonates: Polymorphs 0-8 %,Lymphocytes 05 -35 %,Monocytes 50-90 % Adult: Polymorphs 0-6 %,Lymphocytes40-80 %,Monocytes 15-45 %	3		
Sugar (Fluid)						
Sugar (Fluid)	130	mg/dl	Adult : 40-70 mg/dl,			
			Newborn : 60-80 mg/dl			
PROTEIN (Fluid)						
PROTEIN Fluid	3.78	g/dl				
ALBUMIN (FLUID)						
Albumin (fluid)	2.50			Bromcresol Green		

CHARAK





292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Mr.RAJESH KUMAR GUPTA Visit No : CHA250038497

Age/Gender : 62 Y/M Registration ON : 03/Mar/2025 06:58PM Lab No : 10135792 Sample Collected ON : 03/Mar/2025 07:09PM Referred By : Dr.KGMU Sample Received ON : 03/Mar/2025 07:18PM Refer Lab/Hosp : CHARAK NA Report Generated ON 03/Mar/2025 08: 31PM

Doctor Advice USG GUIDED DIAG., AFB, FLUID PROTEIN, ALBUMIN (FLUID), Sugar (Fluid), TLC Fluid, DLC (Fluid), GRAM S STAIN, ASCITIC FLUID ADA



ASCITIC FLUIF R/M						
Test Name	Result	Unit	Bio. Ref. Range	Method		
ASCITIC FLUID ADA						

ADENOSINE DEAMINASE (ADA) 4.10 u/l Serum, Plasma and Body

fluid; Normal : < 20 U/L ~Suspect: 20 -23 U/L~Positive More than 23 U/L

REMARK:-

- High values may be found in various forms of tuberculosis. It may also be increased in kidney disorders, infections mononucleosis, typhoid, viral hepatitis & malignant tumours.
- 2. ADA is reported to be stable in serum for 3 days and in biological fluids for 2 days at 2 8 degree C

AFB			
ACID FAST BACILLI	Negative	NEGATIVE	
GRAM S STIAN			
Grams Stain	Negative	NEGATIVE	
		3 4 1/	

*** End Of Report ***

