

| | |
|--|--|
| Patient Name : Mr. ZUBAIR | Visit No : CHA250037931 |
| Age/Gender : 30 Y/M | Registration ON : 03/Mar/2025 09: 35AM |
| Lab No : 10135226 | Sample Collected ON : 03/Mar/2025 09: 38AM |
| Referred By : Dr. KGMU | Sample Received ON : 03/Mar/2025 02: 46PM |
| Refer Lab/Hosp : CHARAK NA | Report Generated ON : 04/Mar/2025 09: 08AM |
| Doctor Advice : OCCULT BLOOD,FAECAL CALPROTECTIN | |



| Test Name | Result | Unit | Bio. Ref. Range | Method |
|-----------|--------|------|-----------------|--------|
|-----------|--------|------|-----------------|--------|

| | | | | |
|----------------------------|--|--|--|--|
| FAECAL CALPROTECTIN | | | | |
|----------------------------|--|--|--|--|

| | | | | |
|---------------------|----------|--|----------|--|
| FAECAL CALPROTECTIN | Negative | | NEGATIVE | |
|---------------------|----------|--|----------|--|

Sample type: Stool

Method: Rapid Qualitative Immunochromatography

Intpretation:

Positive: Two colored lines, one in control line region(C) and one in test line region(T)

Negative: One colored line in the control line region (C). No line in test line region (T)

Invalid: Control line fails to appear

Note:

This test serves as a marker for inflammatory bowel diseases
The calprotectin rapid test is a qualitative assay, it only indicates the presence of calprotectin
The results of this assay are to be correlated clinically
The calprotectin rapid test can detect levels of calprotectin as low as 50µg/g or 140ng/ml of faeces.

*** End Of Report ***



[Checked By]

