

Patient Name : Ms. MONIKA RAWAT	Visit No : CHA250039092
Age/Gender : 18 Y/F	Registration ON : 04/Mar/2025 03: 36PM
<b>Lab No : 10136387</b>	Sample Collected ON : 04/Mar/2025 03: 38PM
Referred By : Dr. KGMU	Sample Received ON : 04/Mar/2025 03: 47PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 05/Mar/2025 05: 08PM
Doctor Advice : Aspergillus fumigatu**, ASPERGILLOSIS IgG ANTIBODY**	



ABPA BASIC PANEL				
Test Name	Result	Unit	Bio. Ref. Range	Method
<b>ASPERGILLUS FUMIGATUS - IgE</b>				
Aspergillus fumigatus Specific IgE	Negative (0.10)	IU/ml	Negative <0.35 Positive > 0.35	ELISA

**Interpretation:**

Positive  $\geq 0.35$  IU/ml      Antibodies against the pathogen are present.  
Negative  $< 0.35$  IU/ml      The sample contains no antibodies against the pathogen.

**Comments:**

Aspergillus fumigatus is a thermotolerant fungus ubiquitous in distribution, commonly found in soil and plants, Inhalation of the spores can cause several diseases like Allergic asthma, Allergic Bronchopulmonary aspergillosis, Hypersensitivity pneumonitis, Invasive aspergillosis and Aspergilloma.  
Kindly correlate the test results clinically

<b>ASPERGILLUS - IgG ANTIBODY.</b>				
Aspergillosis IgG	Negative (6.12)	NTU	Negative: <9 Equivocal: 9-11 Positive: > 11	

\*\*\* End Of Report \*\*\*

CHARAK

[Checked By]

Print.Date/Time: 05-03-2025 17:40:09

\*Patient Identity Has Not Been Verified. Not For Medicolegal



*Ahmad*

DR. SYED SAIF AHMAD    DR. NISHANT SHARMA    DR. SHADAB  
MD MICROBIOLOGY      PATHOLOGIST              PATHOLOGIST