

292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003 **Phone**: 0522-4062223, 9305548277, 8400888844

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360 E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms.BIBHA SMRITI Visit No : CHA250039776

 Age/Gender
 : 23 Y/F
 Registration ON
 : 05/Mar/2025 12:54PM

 Lab No
 : 10137071
 Sample Collected ON
 : 05/Mar/2025 12:54PM

Referred By : Dr.NORTHERN RAILWAY Sample Received ON

Refer Lab/Hosp : NORTHERN RAILWAY LKO Report Generated ON : 05/Mar/2025 01:29PM

TARGETED IMAGING FOR FETAL ANOMALY (TIFFA)

- LMP is 20/10/2024 EGA by LMP is 19 weeks + 3 days.
- Single live intrauterine foetus is seen in variable lie with biometric measurement of: -
 - BPD 42 mm 18 weeks + 6 days
 - HC 153 mm 18 weeks + 3 days
 - BOD 28 mm 18 weeks + 5 days
 - AC 128 mm 18 weeks + 3 days
 - HL 27 mm 18 weeks + 6 days
 - ULNA 25 mm 19 weeks + 0 days
 - RADIUS 22 mm 18 weeks + 2 days
 - FL 27 mm 18 weeks + 2 days
 - TIB 24 mm 18 weeks + 4 days
 - FIB 27 mm 19 weeks + 4 days
- Mean gestational age is 18 weeks + 5 days (+/- 2 weeks).
- Foetal weight is approx. 237gms (± 35gms).
- EDD by CGA is approx. 01/08/2025 (on basis of present Sonographic age).
- Placenta is posterior wall. It shows grade-I maturity. No evidence of retro placental collection.
- Amniotic fluid is adequate. DVP measures 2.2cm.
- Cervical length appears normal.

Foetal morphological characters

• Midline falx is seen. Foetal head shows normal cerebral ventricles. Anterior horn measures 4.6 mm. Posterior horn measures 7.7 mm. No evidence of hydrocephalus is noted. Cavum septum pellucidum and thalami normal. Posterior fossa shows normal bilateral cerebellar hemisphere. Cisterna magna is normal in size measuring 4.4 mm. Transcerebellar diameter 18 mm corresponding to 19 weeks 1 days. Nuchal fold measures 2.6mm.

P.T.O





292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003
Phone: 0522-4062223 9305548277 8400888844

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com CMO Reg. No. RMEE 2445133

CMO Reg. No. RMEE 244513 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms.BIBHA SMRITI

Age/Gender : 23 Y/F

Lab No : 10137071

Referred By : Dr.NORTHERN RAILWAY

Refer Lab/Hosp : NORTHERN RAILWAY LKO

Visit No : CHA250039776

Registration ON : 05/Mar/2025 12:54PM Sample Collected ON : 05/Mar/2025 12:54PM

Sample Received ON

Report Generated ON : 05/Mar/2025 01:29PM

- Foetal face shows normal bilateral orbit with normal nose and lips, mandibular echo is seen normally. Nasal bone measures 5.2 mm.
- · Foetal neck does not show any obvious mass lesion.
- Foetal spine appears normal in configuration. Cross sectional imaging shows normal trilaminar pattern. No evidence of mass / spina bifida is seen.
- Foetal chest shows normal heart lung ratio. Foetal heart shows normal position and ratio. 4 chamber foetal heart appears normal. No mass lesion is seen in chest. Bilateral diaphragms are normal. EICF is seen in left ventricle.
- Foetal abdomen shows normal position of foetal stomach. Liver appears normal in position. Gall bladder is anechoic in lumen. Visualized bowel loops are normal. No evidence of abnormal dilatation / mass is seen in bowel.
- Foetal urinary bladder is moderately distended.
- Foetal both kidneys are normal in size, shape & echotexture. Both renal pelvises are normal.
- No evidence of dilated ureters is seen.
- Foetal umbilical cord is three vessels and shows normal insertion. No evidence of foetal abdominal wall defect is seen.
- Foetal limbs are normal. Bilateral femur, tibia and fibula, humerus and radius and ulna are normal in size.
- Bilateral foetal hands & foots are grossly normal.
- Foetal cardiac activity is regular, heart rate measuring 148/min.
- Foetal body and limb movements are well seen.

<u>P.T.O</u>





292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933. 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com CMO Reg. No. RMEE 2445133

NABLReg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms.BIBHA SMRITI Visit No. : CHA250039776

Age/Gender : 23 Y/F Registration ON : 05/Mar/2025 12:54PM Lab No : 10137071 Sample Collected ON : 05/Mar/2025 12:54PM

Sample Received ON Referred By : Dr.NORTHERN RAILWAY

Report Generated ON : 05/Mar/2025 01:29PM Refer Lab/Hosp : NORTHERN RAILWAY LKO

OPINION:

SINGLE LIVE FOETUS WITH MEAN GESTATION AGE OF 18 WEEKS + 5 DAYS (+/- 2 WEEKS).

EICF IN LEFT VENTRICLE.

Counselling:

• EICF is a soft marker for chromosomal abnormalities especially trisomy 21. However it does not increase the risk over background risk. The apriori risk of trisomy 21 in this fetus is 1:1060(serum screening not done). This can further be modified by serum screening(quadruple test) which is advised to the patient. Quadruple test has sensitivity of around 70% for trisomy 21. Availability of screening test with >99% sensitivity for trisomy 21 ie NIPT has been explained to the couple. Amniocentesis remains to be the diagnostic test for aneuploidies. In absence of aneuploidies, EICF is a benign marker and does not adversely affect cardiac function.

Note:-- I Dr. Atima Srivastava, declare that while conducting ultrasound study of Mrs. Bibha, I have neither detected nor disclosed the sex of her foetus to any body in any manner. All congenital anomalies can't be excluded on ultrasound.

- Dedicated fetal 2D-echo is not a part of routine structural anomaly scan.
- <u>Chromosomal</u> / <u>Genetic disorders cannot be ruled out by ultrasound.</u>

[DR. ATIMA SRIVASTAVA] [MBBS, DNB (OBSTETRICS AND GYNAECOLOGY)] [PDCC MATERNAL AND FETAL MEDICINE (SGPGIMS LUCKNOW)]

NOTE:

• Ideal gestational age for TIFFA is between 18-20 weeks POG.

Limitations of USG -

- USG has potency of detecting structural malformations in up to 60-70% of cases depending on the organ involved.
- Functional abnormalities (behavior/mind/hearing) in the fetus cannot be detected by USG.
- Fetal hand and foot digits are difficult to count due to variable positions.
- Conditions like trisomy 21 (Down syndrome) may have normal ultrasound findings in 60% cases as reporting in literature. Serum screening (double marker at 11-14 weeks/quadruple or triple test at 15-20 weeks) will help in detecting more number of cases (70% by triple test/87% by quadruple and 90% by double test).
- Few malformations develop late in intrauterine life and hence serial follow up scans are equaled to rule out their
- Subtle anomalies/malformations do not manifest in intrauterine life and may be detected postnatally for the first time. Surgically correctable minor malformations (cleft/lip/palate/polydactyly) might be missed in USG.

Clinical correlation is necessary.

[DR. ATIMA SRIVASTAVA] [MBBS, DNB (OBSTETRICS AND GYNAECOLOGY)] [PDCC MATERNAL AND FETAL MEDICINE (SGPGIMS LUCKNOW)]

Transcribed By: Purvi

*** End Of Report ***