

Patient Name : Mr. RAM LAKHAN	Visit No : CHA250039833
Age/Gender : 62 Y/M	Registration ON : 05/Mar/2025 01: 23PM
Lab No : 10137128	Sample Collected ON : 05/Mar/2025 01: 27PM
Referred By : Dr. ANANT SHEEL CHAUDHARY	Sample Received ON : 05/Mar/2025 02: 27PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 05/Mar/2025 02: 58PM
Doctor Advice : HBA1C (EDTA),RANDOM	



Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C				
Glycosylated Hemoglobin (HbA1c)	6.5	%	4 - 5.7	HPLC (EDTA)

NOTE:-

Glycosylated Hemoglobin Test (HbA1c) is performed in this laboratory by the Gold Standard Reference method, ie: HPLC Technology (High performance Liquid Chromatography D10) from Bio-Rad Laboratories. USA.

EXPECTED (RESULT) RANGE :

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment

CHARAK

[Checked By]

Print.Date/Time: 05-03-2025 15:30:09

*Patient Identity Has Not Been Verified. Not For Medicolegal



Sharma


DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Mr. RAM LAKHAN	Visit No : CHA250039833
Age/Gender : 62 Y/M	Registration ON : 05/Mar/2025 01: 23PM
Lab No : 10137128	Sample Collected ON : 05/Mar/2025 01: 27PM
Referred By : Dr. ANANT SHEEL CHAUDHARY	Sample Received ON : 05/Mar/2025 01: 37PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 05/Mar/2025 02: 56PM
Doctor Advice : HBA1C (EDTA),RANDOM	



Test Name	Result	Unit	Bio. Ref. Range	Method
BLOOD SUGAR RANDOM				
BLOOD SUGAR RANDOM	92.1	mg/dl	70 - 170	Hexokinase

*** End Of Report ***



CHARAK



Sharma