


Patient Name : Ms. VIJAY LAXMI CHAURASIA
Age/Gender : 74 Y/F
Lab No : 10137560
Referred By : Dr. ANUPAM SINHA **
Refer Lab/Hosp : CGHS (BILLING)
Doctor Advice : BOTH KNEE AP LAT, URIC ACID

Visit No : CHA250040265
Registration ON : 06/Mar/2025 09:37AM
Sample Collected ON : 06/Mar/2025 09:40AM
Sample Received ON : 06/Mar/2025 09:56AM
Report Generated ON : 06/Mar/2025 11:04AM



Test Name	Result	Unit	Bio. Ref. Range	Method
URIC ACID				
Sample Type : SERUM				
SERUM URIC ACID	6.5	mg/dL	2.40 - 5.70	Uricase, Colorimetric

*** End Of Report ***



CHARAK

[Checked By]

Print.Date/Time: 06-03-2025 14:10:42

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Ms.VIJAY LAXMI CHAURASIA Visit No : CHA250040265
Age/Gender : 74 Y/F Registration ON : 06/Mar/2025 09:37AM
Lab No : 10137560 Sample Collected ON : 06/Mar/2025 09:37AM
Referred By : Dr.ANUPAM SINHA ** Sample Received ON :
Refer Lab/Hosp : CGHS (BILLING) Report Generated ON : 06/Mar/2025 01:38PM

SKIAGRAM BOTH KNEE AP AND LATERAL (ERECT)

- Bone density is reduced.
- Articular surfaces show osteophytosis.
- Joint spaces are reduced between medial tibio-femoral compartments.
- Tibial spines are prominent.

IMPRESSION:

- **OSTEOARTHRITIC CHANGES BOTH KNEE JOINT.**

Clinical correlation is necessary.

[DR. RAJESH KUMAR SHARMA, MD]

Transcribed by Purvi

*** End Of Report ***

