

Patient Name : Ms.KHUSHBOO Visit No : CHA250040550
Age/Gender : 24 Y/F Registration ON : 06/Mar/2025 01:18PM
Lab No : 10137845 Sample Collected ON : 06/Mar/2025 01:19PM
Referred By : Dr.INSPIRED DIAGNOSTIC Sample Received ON : 06/Mar/2025 01:34PM
Refer Lab/Hosp : LAB RATE Report Generated ON : 06/Mar/2025 02:42PM
Doctor Advice : TOTAL BILE ACIDS



Test Name	Result	Unit	Bio. Ref. Range	Method
TOTAL BILE ACIDS				
TOTAL BILE ACIDS	7.00	umol/l	2.0 - 10	Enzymatic cyclic method

INTERPRETATION:

- Used for diagnosis and prognosis of liver disease like hepatitis and biliary sclerosis.
- Abnormal levels in fasting patient or immediately after a meal can be used to detect liver disease and damage, impaired liver function, intestinal dysfunction and gall bladder blockage, hepatocellular carcinoma.
- Most sensitive test for obstetric cholestasis in pregnancy.
- It detects liver disease earlier than standard liver tests because bile acid levels correspond to liver function rather than liver damage.

*** End Of Report ***

CHARAK

[Checked By]

Print.Date/Time: 06-03-2025 15:15:08

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST

DR. ADITI D AGARWAL
PATHOLOGIST