Certificate No. MIS-2023-0218Patient Name: Mr. VIJAY BAHADURVisit No: CHA250041026Age/Gender: 47 Y/MRegistration ON: 07/Mar/2025 10:26AMLab No: 10138321Sample Collected ON: 07/Mar/2025 10:28AMReferred By: SELFSample Received ON: 07/Mar/2025 10:59AMRefer Lab/Hosp: CHARAK NAReport Generated ON: 07/Mar/2025 11:51AMDoctor Advice: PT/PC/INRImage: Collected ON: 07/Mar/2025 11:51AMImage: Test NameResultUnitBio. Ref. RangeMethod	Charak dhar AGNOSTICS Pvt. Ltd.			Phone : 0522-4062223, 93 9415577933, 9336154100 E-mail : charak1984@gma CMO Reg. No. RMEE 24), Tollfree No.: 8688360360 il.com 445133
Age/Gender: 47 Y/MRegistration ON: 07/Mar/2025 10: 26AMLab No: 10138321Sample Collected ON: 07/Mar/2025 10: 28AMReferred By: SELFSample Received ON: 07/Mar/2025 10: 59AMRefer Lab/Hosp: CHARAK NAReport Generated ON: 07/Mar/2025 11: 51AMDoctor Advice: PT/PC/INRImage: Collected ON: 07/Mar/2025 11: 51AMTest NameResultUnitBio. Ref. RangeMethodPT/PC/INRImage: Collected ON: 07/Mar/2025 11: 51AMImage: Collected ON: 07/Mar/2025 11: 51AMPROTHROMBIN TIME13 SecondUnitBio. Ref. RangeMethodProtrhromin concentration100 %100 %100 %100 %INR (International Normalized Ratio)1.001.01.0	AGNOSTICS Pvt. Ltd.			NABL Reg. No. MC-2491 Certificate No. MIS-2023	-0218
PT/PC/INRPROTHROMBIN TIME13 Second13 SecondClotting AssayProtrhromin concentration100 %100 %INR (International Normalized Ratio)1.001.0	Age/Gender: 47 Y/MLab No: 10138321Referred By: SELFRefer Lab/Hosp: CHARAK NA			Registration ON: 07/Sample Collected ON: 07/Sample Received ON: 07/	Mar/2025 10:26AM Mar/2025 10:28AM Mar/2025 10:59AM
PT/PC/INRPROTHROMBIN TIME13 Second13 SecondClotting AssayProtrhromin concentration100 %100 %INR (International Normalized Ratio)1.001.0					
Protrhromin concentration100 %INR (International Normalized Ratio)1.001.001.0	Test Name	Result	Unit	Bio. Ref. Range	Method
Protrhromin concentration100 %100 %INR (International Normalized Ratio)1.001.0	PT/PC/INR				
INR (International Normalized Ratio) 1.00 1.0	PROTHROMBIN TIME	13 Second		13 Second	Clotting Assay
	Protrhromin concentration	100 %		100 %	
*** End Of Report ***	INR (International Normalized Ratio)	1.00		1.0	
			Urkeport		

1'h

DR. NISHANT SHARMA DR. SHADAB PATHOLOGIST PATHOLOGIS

DR. SHADAB Dr. SYED SAIF AHMAD PATHOLOGIST MD (MICROBIOLOGY) Page 1 of 1

[Checked By]

PR.