

| | | | |
|----------------|-------------------|---------------------|-----------------------|
| Patient Name | : Mr.PANKAJ KUMAR | Visit No | : CHA250041139 |
| Age/Gender | : 18 Y/M | Registration ON | : 07/Mar/2025 12:19PM |
| Lab No | : 10138434 | Sample Collected ON | : 07/Mar/2025 12:19PM |
| Referred By | : Dr.KGMU | Sample Received ON | : |
| Refer Lab/Hosp | : CHARAK NA | Report Generated ON | : 07/Mar/2025 07:15PM |

MRI: LUMBO-SACRAL SPINE

IMAGING SEQUENCES (NCMR)

AXIAL: T1 & TSE T2 Wis. **SAGITTAL:** T1 & TSE T2 Wis **CORONAL:** T2

There is transitional vertebra at lumbo-sacral junction which is considered as **sacralized L5** vertebra with rudimentary disc at L5-S1 level (counting done from C1 level downwards).

Mild scoliosis is seen with convexity towards the left. Vertebral bodies are showing normal height, alignment, curvature and marrow signal intensity pattern. No obvious inflammatory or infective pathology is seen.

Intervertebral discs and neural foramina are showing normal MR morphology and signal intensity pattern. No significant disc bulge/herniation or compression over thecal sac/spinal cord is seen in lumbar region.

Lower dorsal spinal cord and conus medullaris are showing normal morphology, outline and signal intensity. Cord CSF interface and cauda equina nerve roots are normally visualised. No evidence of primary canal stenosis.

Facet joints and ligamentum flavum are normal.

Pre and para vertebral soft tissues are normal.

Bilateral sacroiliac joints appear normal in the visualized sections.

Screening of rest of the spine was done which reveals no significant abnormality.

IMPRESSION

No obvious compressive or non-compressive pathology is seen in lumbo-sacral spine.

Please correlate clinically.

DR. RAVENDRA SINGH
MD

Typed by Ranjeet

*** End Of Report ***

