

292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABLReg. No.MC-2491 Certificate No. MIS-2023-0218

Patient Name : Mr.ANIL KUMAR

: 45 Y/M Age/Gender

Lab No : 10138444

Referred By : Dr.PREM HOSPITAL Refer Lab/Hosp : CHARAK NA

Doctor Advice : AMYLASE,CHEST PA

Visit No : CHA250041149

Registration ON : 07/Mar/2025 12:26PM

Sample Collected ON : 07/Mar/2025 12:28PM

Sample Received ON : 07/Mar/2025 12:32PM

Report Generated ON : 07/Mar/2025 01:20PM



Test Name	Result	Unit	Bio. Ref. Range	Method
AMYLASE				
SERUM AMYLASE	125.7	U/L	20.0-80.00	Enzymatic

Comments:

P.R.

Amylase is produced in the Pancreas and most of the elevation in serum is due to increased rate of Amylase entry into the blood stream / decreased rate of clearance or both. Serum Amylase rises within 6 to 48 hours of onset of Acute pancreatitis in 80% of patients, but is not proportional to the severity of the disease. Activity usually returns to normal in 3-5 days in patients with milder edematous form of the disease. Values persisting longer than this period suggest continuing necrosis of pancreas or Pseudocyst formation. Approximately 20% of patients with Pancreatitis have normal or near normal activity. Hyperlipemic patients with Pancreatitis also show spuriously normal Amylase levels due to suppression of Amylase activity by triglyceride. Low Amylase levels are seen in Chronic Pancreatitis, Congestive Heart failure, 2nd & 3rd trimesters of pregnancy, Gastrointestinal cancer & bone fractures.

amylase amylase amylase

*** End Of Report ***

CHARAK



Patient Name : Mr.ANIL KUMAR

 Age/Gender
 : 45 Y/M
 Registration ON
 : 07/Mar/2025 12:26PM

 Lab No
 : 10138444
 Sample Collected ON
 : 07/Mar/2025 12:26PM

Visit No

Referred By : Dr.PREM HOSPITAL Sample Received ON :

Refer Lab/Hosp : CHARAK NA Report Generated ON : 07/Mar/2025 01:08PM

SKIAGRAM CHEST PA VIEW

- Heterogenous radio opacities are seen in both lung fields with few fibrotic opacities.
- Ill defined opacity is seen in left infra clavicular region.
- Cardiac shadow is within normal limits.
- Both CP angles are clear.
- Soft tissue and bony cage are seen normally.
- Both domes of diaphragm are sharply outlined.

OPINION:

• INFECTIVE --? KOCH'S CHEST.

Adv: Sputum for AFB & Hematological examination.

To be correlated with previous records.

[DR. RAJESH KUMAR SHARMA, MD]

: CHA250041149

Transcribed by R R...

*** End Of Report ***

