

Patient Name	: Baby.RIDDHI	Visit No	: CHA250041308
Age/Gender	: 4 Y/F	Registration ON	: 07/Mar/2025 02:36PM
Lab No	: 10138603	Sample Collected ON	: 07/Mar/2025 02:36PM
Referred By	: Dr.CANKIDS-KIDSCAN	Sample Received ON	:
Refer Lab/Hosp	: CREDIT CLIENT	Report Generated ON	: 07/Mar/2025 04:51PM

CT WHOLE ABDOMEN

CECT STUDY OF WHOLE ABDOMEN

- **Liver** is normal in size, and shows normal density of parenchyma. No intrahepatic biliary radicle dilatation is seen. No space occupying lesion is seen. Hepatic veins and IVC are seen normally.
- **Gall bladder** is normal in size and shows normal lumen. No mass lesion is seen. GB walls are not thickened. (CT is not modality of choice for biliary and gall bladder calculi, USG is advised for the same).
- **CBD** is normal at porta. No obstructive lesion is seen.
- **Portal vein** Portal vein is normal at porta.
- **Pancreas** is normal in size and shows homogenous density of parenchyma. PD is not dilated. No parenchymal calcification is seen. No peripancreatic collection is seen.
- **Spleen** is normal in size and shows homogenous density of parenchyma. No SOL is seen.
- **Right Kidney** is normal in size and position. No hydronephrosis is seen. No calculus or mass lesion is seen.
- **Left kidney** Shows a large exophytic lobulated well defined heterogeneously enhancing soft tissue space occupying lesion in mid polar region. The lesion shows few calcifications. Large non enhancing cystic component is seen. Superiorly the lesion extends upto tail of pancreas, laterally it abuts lateral abdominal wall, medially it extends upto renal sinus & posteriorly it extends upto posterior renal cortex. The space occupying lesion measures 83 x 79 x 73mm in size. Left renal vein & IVC are patent.
- **Both** ureters are normal in calibre.
- No retroperitoneal adenopathy is seen.
- No ascites is seen.
- **Urinary Bladder** is normal in contour with normal lumen. No calculus or mass lesion is seen. UB walls are not thickened.
- Pelvic viscera are infantile.
- No adnexal mass lesion is seen.
- Bowel loops are seen normally. No abnormally thickened / edematous bowel loop is seen. No collection is seen. No bowel origin mass lesion is seen.

IMPRESSION:

- **LARGE EXOPHYTIC LOBULATED WELL DEFINED HETEROGENEOUSLY ENHANCING SOFT TISSUE SPACE OCCUPYING LESION IN MID POLAR REGION OF LEFT KIDNEY WITH INVOLVEMENTS AND EXTENSIONS AS DESCRIBED - KNOWN CASE OF WILM'S TUMOR.**

Clinical correlation is necessary.

[DR. RAJESH KUMAR SHARMA, MD]

Transcribed by Gausiya



Patient Name	: Baby.RIDDHI	Visit No	: CHA250041308
Age/Gender	: 4 Y/F	Registration ON	: 07/Mar/2025 02:36PM
Lab No	: 10138603	Sample Collected ON	: 07/Mar/2025 02:36PM
Referred By	: Dr.CANKIDS-KIDSCAN	Sample Received ON	:
Refer Lab/Hosp	: CREDIT CLIENT	Report Generated ON	: 07/Mar/2025 04:51PM

*** End Of Report ***

