

Patient Name : Ms.GOMTI DEVI	Visit No : CHA250041939
Age/Gender : 50 Y/F	Registration ON : 08/Mar/2025 02: 16PM
Lab No : 10139234	Sample Collected ON : 08/Mar/2025 02: 17PM
Referred By : Dr.ESIC HOSPITAL LUCKNOW	Sample Received ON : 08/Mar/2025 03: 23PM
Refer Lab/Hosp : ESIC HOSPITAL LUCKNOW	Report Generated ON : 08/Mar/2025 04: 55PM
Doctor Advice : HBA1C (EDTA)	



Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C				
Glycosylated Hemoglobin (HbA1c)	6.7	%	4 - 5.7	HPLC (EDTA)

NOTE:-

Glycosylated Hemoglobin Test (HbA1c) is performed in this laboratory by the Gold Standard Reference method, ie: HPLC Technology (High performance Liquid Chromatography D10) from Bio-Rad Laboratories. USA.

EXPECTED (RESULT) RANGE :

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment

*** End Of Report ***

CHARAK

[Checked By]

Print.Date/Time: 08-03-2025 17:41:09

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST

Dr. Aditi D Agarwal
DR. ADITI D AGARWAL
PATHOLOGIST