

Patient Name : Ms. VEERAMATI SHUKLA  
Age/Gender : 63 Y/F  
**Lab No : 10139453**  
Referred By : Dr. JASPAL SINGH  
Refer Lab/Hosp : CHARAK NA

Visit No : CHA250042158  
Registration ON : 08/Mar/2025 09:36PM  
Sample Collected ON : 08/Mar/2025 09:36PM  
Sample Received ON :  
Report Generated ON : 09/Mar/2025 03:20PM



Patient Name : Ms.VEERAMATI SHUKLA Visit No : CHA250042158  
Age/Gender : 63 Y/F Registration ON : 08/Mar/2025 09:36PM  
**Lab No : 10139453** Sample Collected ON : 08/Mar/2025 09:36PM  
Referred By : Dr.JASPAL SINGH Sample Received ON :  
Refer Lab/Hosp : CHARAK NA Report Generated ON : 09/Mar/2025 03:20PM

## MRI: CERVICAL SPINE

### IMAGING SEQUENCES (NCMR)

**AXIAL:** T1 & T2 Wis. **SAGITTAL:** T1 & TSE T2 Wis. **CORONAL:** T2 Wis

Cervical spine is straightened with loss of usual spinal curvature. There is evidence of degenerative changes affecting cervical spine. All the visualized intervertebral discs are desiccated. Vertebrae are also showing degenerative changes in form of anterior osteophytosis at multiple levels.

Mild posterior disc bulge is seen at C3-4 level causing mild to moderate indentation over thecal sac without significant compromise of lateral recess and neural foramina.

Disc osteophyte complex is seen at C4-5 level producing moderate compromise of bilateral lateral recesses with mild to moderate extradural compression over thecal sac.

Disc osteophyte complex is seen at C5-6 level producing moderate compromise of left lateral recess with mild to moderate extradural compression over thecal sac.

Disc osteophyte complex is seen at C6-7 level producing mild to moderate compromise of bilateral lateral recesses with mild to moderate extradural compression over thecal sac.

AP thecal sac diameter at disc level measures:

C2-3	C3-4	C4-5	C5-6	C6-7	C7-D1
11.5mm	8.4mm	8.2mm	7.6mm	7.4mm	10.4mm

Rest of the thecal sac with rest of the spinal cord is normal in signal intensity and configuration. Cord CSF interface is normally visualized. No intramedullary or intradural pathology is seen.

No evidence of any osseous or soft tissue anomaly at cranio-vertebral junction.

Pre and para-vertebral soft tissues are normal.

Screening of rest of the spine was done which reveals degenerative changes with disc bulges at D9-10, D11-12, L2-3, L4-5 and L5-S1 levels.

## IMPRESSION

- **Degenerative changes affecting cervical spine with disc bulges at C3-4, C4-5 level and disc osteophyte complexes C5-6 and C6-7 levels.**

Please correlate clinically.

**DR. RAVENDRA SINGH**  
**MD**

Transcribed by Priyanka...

\*\*\* End Of Report \*\*\*



Patient Name : Ms.VEERAMATI SHUKLA  
Age/Gender : 63 Y/F  
**Lab No : 10139453**  
Referred By : Dr.JASPAL SINGH  
Refer Lab/Hosp : CHARAK NA

Visit No : CHA250042158  
Registration ON : 08/Mar/2025 09:36PM  
Sample Collected ON : 08/Mar/2025 09:36PM  
Sample Received ON :  
Report Generated ON : 09/Mar/2025 03:20PM

