		CMO Reg. No. F NABL Reg. No. I	9415577933, 9336154100, Tollfree No.: 8688360360 E-mail : charak1984@gmail.com CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218			
		Visit No	: CHA2	250042186		
		Registration ON : 09/Mar/2025 07:20AN				
		Sample Collected ON : 09/Mar/2025 07:21AM				
		Sample Received ON : 09/Mar/2025 08:06AM				
		Report Generated ON	: 09/M	ar/2025 09:54AM		
Result	Unit	Bio. Ref. R	ange	Method		
4.00	Ratio			Calculated		
2.08	Ratio			Calculated		
			risk - 0.5	<u>,</u>		
		-3.0				
		Low/ Moderate	L <mark>ow/ Moderate risk</mark> - 3.0-			
		6.0	6.0			
		Elevated / High	Elevated / High risk - >6.0			
			1151 0.0	)		
		rick _ 3 (	)_			
6.0			113K - J.C	)-		
			0			
		Elevated / High	115K - > 0.	0		
	4.00	4.00 Ratio	CMO Reg. No. F   NABL Reg. No. F   Certificate No. N   Registration ON   Sample Collected ON   Sample Received ON   Report Generated ON   Result Unit   Bio. Ref. R   4.00 Ratio   2.08 Ratio   Low/ Moderate   6.0   Elevated / High   Desirable / low   -3.0   Low/ Moderate   6.0	CMO Reg. No. RMEE 244   NAME 2023-0   Visit No   CHA2   Registration ON   Sample Collected ON   OP/M   Sample Collected ON   OP/M   Sample Received ON   OP/M   Result   Unit   Bio. Ref. Range   4.00 Ratio   2.08   Ratio   Desirable / low risk - 0.5   -3.0   Low/ Moderate risk - 3.0   Low/ Moderate risk - 3.0   Low/ Moderate risk - 3.0		



Tha

DR. NISHANT SHARMA DR. SHADAB PATHOLOGIST PATHOLOGIS

DR. SHADAB Dr. SYED SAIF AHMAD PATHOLOGIST MD (MICROBIOLOGY) Page 1 of 2

[Checked By]

Print.Date/Time: 09-03-2025 10:44:29 \*Patient Identity Has Not Been Verified. Not For Medicolegal

PR.

		9415577933, 9336154100, Tollfree No.: 8688360360 E-mail : charak1984@gmail.com CMO Reg. No. RMEE 2445133 NABLReg. No.MC-2491		
	v		250042186	
		•	/ar/2025 07:21AM	
•			/ar/2025 08:06AM	
		-	lar/2025 09:54AM	
Result	Unit	Bio. Ref. Range	Method	
1.00	mg/dl	0.50 - 1.40	Alkaline picrate-	
			kinetic	
123.90	mg/dL	0		
		U	39	
		Ũ		
1/1 60	ma/dl	0	Sorum Enzymatic	
141.00	my/uL	0	Serum, Enzymatic,	
	<b>.</b> .			
		0		
31.00	mg/dL	5 0 0	CHER-CHOD-PAP	
64.58		U	CO-PAP	
	5			
		mg/dl		
		Borderline High: 130 - 1	59	
		mg/dl		
		High: 160 - 189 mg/dl		
		5 6 6	dl	
28.32	mg/dL	10 - 40	Calculated	
	1.00 123.90 141.60 31.00 64.58	Result Unit   1.00 mg/dl   123.90 mg/dL   31.00 mg/dL   31.00 mg/dL   % mg/dL   % mg/dL	E-mail : charak1984@gmail   CMO Reg. No. RMEE 24   NABL Reg. No. MC-2491   Certificate No. MIS-20234   Visit No :: CHA   Registration ON :: 09/A   Sample Collected ON :: 09/A   Sample Received ON :: 09/A   Result Unit   Bio. Ref. Range   1.00 mg/dl   123.90 mg/dl   Desirable: <200 mg/dl	



PR.

[Checked By]

MC-2491 Print.Date/Time: 09-03-2025 10:44:32 \*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA DR. SHADAB PATHOLOGIST PATHOLOGIS

DR. SHADAB Dr. SYED SAIF AHMAD PATHOLOGIST MD (MICROBIOLOGY) Page 2 of 2