

292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABLReg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms. TAIYABA

Age/Gender : 17 Y O M O D /F Lab No : 10140077 Referred By : Dr.KALYAN MULLICK

Refer Lab/Hosp : CHARAK NA

P.R.

. CREATININE,CT WhOLE ABDOMEN Doctor Advice

Visit No : CHA250042782

Registration ON : 10/Mar/2025 09:57AM


Sample Collected ON : 10/Mar/2025 09:59AM

: 10/Mar/2025 10:04AM Sample Received ON

Report Generated ON : 10/Mar/2025 10:42AM



Test Name	Result	Unit	Bio. Ref. Range	Method
SERUM CREATININE				
CREATININE	0.60	mg/dl	0.50 - 1.40	Alkaline picrate- kinetic







Patient Name : Ms. TAIYABA Visit No : CHA250042782

 Age/Gender
 : 17 Y 0 M 0 D /F
 Registration ON
 : 10/Mar/2025 09: 57AM

 Lab No
 : 10140077
 Sample Collected ON
 : 10/Mar/2025 09: 57AM

Referred By : Dr.KALYAN MULLICK Sample Received ON :

Refer Lab/Hosp : CHARAK NA Report Generated ON : 10/Mar/2025 02:21PM

CT WhOLE ABDOMEN

## CECT STUDY OF WHOLE ABDOMEN

CT study performed before and after injecting (intravenous) 60ml of non ionic contrast media and oral administration of 20ml contrast media diluted with water.

- <u>Liver</u> is mildly enlarged in size (Span 155mm) and shows normal density of parenchyma. No intrahepatic biliary radicle dilatation is seen. No space occupying lesion is seen. Hepatic veins and IVC are seen normally.
- <u>Gall bladder</u> is normal in size and shows normal lumen. No mass lesion is seen. GB walls are not thickened. (CT is not modality of choice for biliary and gall bladder calculi, USG is advised for the same).
- CBD is normal at porta. No obstructive lesion is seen.
- Portal vein is normal at porta.
- <u>Pancreas</u> is normal in size and shows homogenous density of parenchyma. PD is not dilated. No parenchymal calcification is seen. No peripancreatic collection is seen.
- <u>Spleen</u> is normal in size and shows homogenous density of parenchyma. No SOL is seen.
- <u>Both Kidneys</u> are normal in size and position. No hydronephrosis is seen. No calculus or mass lesion is seen.
- Both ureters are normal in course and calibre.
- Multiple enlarged necrotic retroperitoneal, mesenteric & pelvic nodes are seen, larger nodes measure 33 x 24mm (medial to right psoas muscle), 28 x 14mm (right pelvic side wall) & 26 x 11mm (left pelvic side wall).
- Conglomerated necrotic nodes / peritoneal loculated collection is seen along medial surface of spleen, measuring  $43 \times 18 \times 21 \text{mm}$  (volume 10cc) with another similar collection in right iliac fossa , measuring  $36 \times 17 \times 17 \text{mm}$  (volume 5cc)
- No free fluid is seen in peritoneal cavity.
- <u>Urinary Bladder</u> is normal in contour with normal lumen. No calculus or mass lesion is seen. UB walls are not thickened.
- <u>Uterus</u> is normal in size and shows homogenous myometrial density. No endometrial collection is seen. No mass lesion is seen.
- Cervix is normal.
- Both ovaries are normal in size.
- No adnexal mass lesion is seen.
- Thickening of wall of terminal ileum, I.C junction & caecum is seen with adjacent heterogeneously enhancing space occupying lesion in right lower abdomen, measuring 31 x 23mm.



Patient Name : Ms. TAIYABA Visit No : CHA250042782

 Age/Gender
 : 17 Y 0 M 0 D /F
 Registration ON
 : 10/Mar/2025 09: 57AM

 Lab No
 : 10140077
 Sample Collected ON
 : 10/Mar/2025 09: 57AM

Referred By : Dr. KALYAN MULLICK Sample Received ON

Refer Lab/Hosp : CHARAK NA Report Generated ON : 10/Mar/2025 02:21PM

## **IMPRESSION:**

- MILD HEPATOMEGALY.
- MULTIPLE ENLARGED NECROTIC RETROPERITONEAL, MESENTERIC & PELVIC NODES.
- CONGLOMERATED NECROTIC NODES / PERITONEAL LOCULATED COLLECTION ALONG MEDIAL SURFACE OF SPLEEN WITH ANOTHER SIMILAR COLLECTION IN RIGHT ILIAC FOSSA.
- THICKENING OF WALL OF TERMINAL ILEUM. I.C JUNCTION & CAECUM WITH ADJACENT HETEROGENEOUSLY ENHANCING SPACE OCCUPYING LESION IN RIGHT LOWER ABDOMEN.

  MOST LIKELY POSSIBILITY OF DISSEMINATED INTRA-ABDOMINAL TUBERCULOSIS.

## ADV: FNAC CORRELATION

Clinical correlation is necessary.

[DR. RAJESH KUMAR SHARMA, MD]

Transcribed by Gausiya

\*\*\* End Of Report \*\*\*

