

Patient Name : Mr. SATYA BRAT	Visit No : CHA250043046
Age/Gender : 45 Y/M	Registration ON : 10/Mar/2025 01:10PM
<b>Lab No : 10140341</b>	Sample Collected ON : 10/Mar/2025 01:39PM
Referred By : Dr. RDSO LUCKNOW	Sample Received ON : 10/Mar/2025 02:37PM
Refer Lab/Hosp : RDSO LUCKNOW	Report Generated ON : 10/Mar/2025 04:08PM
Doctor Advice : HBA1C (EDTA)	



Test Name	Result	Unit	Bio. Ref. Range	Method
<b>HBA1C</b>				
Glycosylated Hemoglobin (HbA1c)	6.1	%	4 - 5.7	HPLC (EDTA)

**NOTE:-**

Glycosylated Hemoglobin Test (HbA1c) is performed in this laboratory by the Gold Standard Reference method, ie: HPLC Technology (High performance Liquid Chromatography D10) from Bio-Rad Laboratories. USA.

**EXPECTED ( RESULT ) RANGE :**

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment

\*\*\* End Of Report \*\*\*

**CHARAK**

[Checked By]

Print.Date/Time: 10-03-2025 16:40:36

\*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA  
PATHOLOGIST

DR. SHADAB  
PATHOLOGIST

*Dr. Aditi D Agarwal*  
DR. ADITI D AGARWAL  
PATHOLOGIST