

Patient Name : Ms.EZAZ FATIMA	Visit No : CHA250043442
Age/Gender : 42 Y/F	Registration ON : 10/Mar/2025 08:08PM
<b>Lab No : 10140737</b>	Sample Collected ON : 10/Mar/2025 08:09PM
Referred By : Dr.MANISH TANDON	Sample Received ON : 10/Mar/2025 08:51PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 11/Mar/2025 10:34AM
Doctor Advice : T3T4TSH,RANDOM,CREATININE,LIPASE,AMYLASE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
<b>AMYLASE</b>				
SERUM AMYLASE	49.4	U/L	20.0-80.00	Enzymatic

**Comments:**

Amylase is produced in the Pancreas and most of the elevation in serum is due to increased rate of Amylase entry into the blood stream / decreased rate of clearance or both. Serum Amylase rises within 6 to 48 hours of onset of Acute pancreatitis in 80% of patients, but is not proportional to the severity of the disease. Activity usually returns to normal in 3-5 days in patients with milder edematous form of the disease. Values persisting longer than this period suggest continuing necrosis of pancreas or Pseudocyst formation. Approximately 20% of patients with Pancreatitis have normal or near normal activity. Hyperlipemic patients with Pancreatitis also show spuriously normal Amylase levels due to suppression of Amylase activity by triglyceride. Low Amylase levels are seen in Chronic Pancreatitis, Congestive Heart failure, 2nd & 3rd trimesters of pregnancy, Gastrointestinal cancer & bone fractures.  
amylase amylase amylase

<b>LIPASE</b>				
LIPASE	29.6	U/L	Upto 60	colorimetric

**COMMENTS:**as, such as acute pancreatitis, chronic pancreatitis, and obstruction of the pancreatic duct. In acute pancreatitis serum lipase activity tends to become elevated & remains for about 7 - 10 days .Increased lipase activity rarely lasts longer than 14 days, and prolonged increases suggest a poor prognosis or the presence of a cyst. Serum lipase may also be elevated in patients with chronic pancreatitis, obstruction of the pancreatic duct and non pancreatic conditions including renal diseases, various abdominal diseases such as acute cholecystitis, intestinal obstruction or infarction, duodenal ulcer, and liver disease, as well as alcoholism & diabetic keto-acidosis & in patients who have undergone endoscopic r

Lipase measurements are used in the diagnosis and treatment of diseases of the pancre

etrograde cholangiopancreatography. Elevation of serum lipase activity in patients with mumps strongly suggests significant pancreatic as well as salivary gland involvement by the disease.....

[Checked By]

Print.Date/Time: 11-03-2025 11:27:47

\*Patient Identity Has Not Been Verified. Not For Medicolegal



*Sharma*

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD  
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Ms.EZAZ FATIMA	Visit No : CHA250043442
Age/Gender : 42 Y/F	Registration ON : 10/Mar/2025 08:08PM
<b>Lab No : 10140737</b>	Sample Collected ON : 10/Mar/2025 08:09PM
Referred By : Dr.MANISH TANDON	Sample Received ON : 10/Mar/2025 10:20PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 11/Mar/2025 10:35AM
Doctor Advice : T3T4TSH,RANDOM,CREATININE,LIPASE,AMYLASE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
<b>CBC (COMPLETE BLOOD COUNT)</b>				
Hb	14.6	g/dl	12 - 15	Non Cyanide
R.B.C. COUNT	<b>5.20</b>	mil/cmm	3.8 - 4.8	Electrical Impedence
PCV	<b>45.3</b>	%	36 - 45	Pulse hieght detection
MCV	87.1	fL	80 - 96	calculated
MCH	28.1	pg	27 - 33	Calculated
MCHC	32.2	g/dL	30 - 36	Calculated
RDW	12.3	%	11 - 15	RBC histogram derivation
RETIC	0.9 %	%	0.5 - 2.5	Microscopy
TOTAL LEUCOCYTES COUNT	6920	/cmm	4000 - 10000	Flocytrometry
<b>DIFFERENTIAL LEUCOCYTE COUNT</b>				
NEUTROPHIL	60	%	40 - 75	Flowcytometry
LYMPHOCYTES	32	%	25 - 45	Flowcytometry
EOSINOPHIL	4	%	1 - 6	Flowcytometry
MONOCYTE	4	%	2 - 10	Flowcytometry
BASOPHIL	<b>0</b>	%	00 - 01	Flowcytometry
PLATELET COUNT	235,000	/cmm	150000 - 450000	Elect Imped..
PLATELET COUNT (MANUAL)	235000	/cmm	150000 - 450000	Microscopy .
Absolute Neutrophils Count	4,152	/cmm	2000 - 7000	Calculated
Absolute Lymphocytes Count	2,214	/cmm	1000-3000	Calculated
Absolute Eosinophils Count	277	/cmm	20-500	Calculated
Absolute Monocytes Count	277	/cmm	200-1000	Calculated
Mentzer Index	17			
Peripheral Blood Picture	:			

Red blood cells are normocytic normochromic. Platelets are adequate. No immature cells or parasite seen.



[Checked By]



*Sham*

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD  
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Ms.EZAZ FATIMA	Visit No : CHA250043442
Age/Gender : 42 Y/F	Registration ON : 10/Mar/2025 08:08PM
<b>Lab No : 10140737</b>	Sample Collected ON : 10/Mar/2025 08:09PM
Referred By : Dr.MANISH TANDON	Sample Received ON : 10/Mar/2025 08:51PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 11/Mar/2025 10:34AM
Doctor Advice : T3T4TSH,RANDOM,CREATININE,LIPASE,AMYLASE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
<b>BLOOD SUGAR RANDOM</b>				
BLOOD SUGAR RANDOM	125.8	mg/dl	70 - 170	Hexokinase
<b>SERUM CREATININE</b>				
CREATININE	0.70	mg/dl	0.50 - 1.40	Alkaline picrate-kinetic
<b>LIVER FUNCTION TEST</b>				
TOTAL BILIRUBIN	0.90	mg/dl	0.4 - 1.1	Diazonium Ion
CONJUGATED ( D. Bilirubin)	0.14	mg/dL	0.00-0.30	Diazotization
UNCONJUGATED ( I.D. Bilirubin)	0.76	mg/dL	0.1 - 1.0	Calculated
ALK PHOS	95.60	U/L	30 - 120	PNPP, AMP Buffer
SGPT	28.0	U/L	5 - 40	UV without P5P
SGOT	33.0	U/L	5 - 40	UV without P5P

CHARAK



[Checked By]



*Sham*

DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD  
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)

Patient Name : Ms.EZAZ FATIMA	Visit No : CHA250043442
Age/Gender : 42 Y/F	Registration ON : 10/Mar/2025 08:08PM
<b>Lab No : 10140737</b>	Sample Collected ON : 10/Mar/2025 08:09PM
Referred By : Dr.MANISH TANDON	Sample Received ON : 10/Mar/2025 08:51PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 11/Mar/2025 10:35AM
Doctor Advice : T3T4TSH,RANDOM,CREATININE,LIPASE,AMYLASE,LFT,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
<b>T3T4TSH</b>				
T3	<b>3.01</b>	nmol/L	1.49-2.96	ECLIA
T4	<b>189.00</b>	n mol/l	63 - 177	ECLIA
TSH	0.60	uIU/ml	0.47 - 4.52	ECLIA

NOTE – Findings checked twice. Please correlate clinically.

**Note**

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave's disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- (7) There are many drugs for eg. Glucocorticoids, dopamine, Lithium, iodides, oral radiographic dyes, etc. Which may affect the thyroid function tests.
- (8) Generally when total T3 & T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with  
( 1 Beckman Dxi-600 2. ELECTRO-CHEMILUMINESCENCE TECHNIQUE BY ELECSYS -E411 )

\*\*\* End Of Report \*\*\*



[Checked By]



*Sharma*

DR. NISHANT SHARMA DR. SHADAB DR. SYED SAIF AHMAD  
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)