

Patient Name : Mr.PREM SHANKAR	Visit No : CHA250043873
Age/Gender : 60 Y/M	Registration ON : 11/Mar/2025 01:13PM
Lab No : 10141168	Sample Collected ON : 11/Mar/2025 01:15PM
Referred By : Dr.MOHD RIZWANUL HAQUE	Sample Received ON : 11/Mar/2025 01:26PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 11/Mar/2025 02:09PM
Doctor Advice : ECG,HBA1C (EDTA),TSH,FT4,SERUM IGE,BUN,CREATININE,ESR,CBC (WHOLE BLOOD),CHEST PA	



Test Name	Result	Unit	Bio. Ref. Range	Method
ESR				
Erythrocyte Sedimentation Rate ESR	22.00		0 - 20	Westergreen

Note:

1. Test conducted on EDTA whole blood at 37°C.
2. ESR readings are auto- corrected with respect to Hematocrit (PCV) values.
3. It indicates presence and intensity of an inflammatory process. It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, acute rheumatic fever. It is also increased in multiple myeloma, hypothyroidism.

HBA1C				
Glycosylated Hemoglobin (HbA1c)	9.2	%	4 - 5.7	HPLC (EDTA)

NOTE:-

Glycosylated Hemoglobin Test (HbA1c)is performed in this laboratoryby the Gold Standard Reference method,ie:HPLC Technology(High performance Liquid Chromatography D10) from Bio-Rad Laboratories.USA.

EXPECTED (RESULT) RANGE :

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment

BLOOD UREA NITROGEN				
Blood Urea Nitrogen (BUN)	14.77	mg/dL	7-21	calculated




[Checked By]

Print.Date/Time: 11-03-2025 16:31:52

*Patient Identity Has Not Been Verified. Not For Medicolegal

DR. NISHANT SHARMA DR. SHADAB DR. ADITI D AGARWAL
PATHOLOGIST PATHOLOGIST PATHOLOGIST

Patient Name : Mr.PREM SHANKAR	Visit No : CHA250043873
Age/Gender : 60 Y/M	Registration ON : 11/Mar/2025 01:13PM
Lab No : 10141168	Sample Collected ON : 11/Mar/2025 01:15PM
Referred By : Dr.MOHD RIZWANUL HAQUE	Sample Received ON : 11/Mar/2025 01:26PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 11/Mar/2025 03:18PM
Doctor Advice : ECG,HBA1C (EDTA),TSH,FT4,SERUM IGE,BUN,CREATININE,ESR,CBC (WHOLE BLOOD),CHEST PA	



Test Name	Result	Unit	Bio. Ref. Range	Method
FT4				
FT4	12.05	pmol/L	7.86 - 14.42	CLIA

Note

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism,cretinism,juvenile mysedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave~s disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the cacabolic state and may revert tonormal when the patient recovers.
- (7) There are many drugs for eg.Glucocorticoids ,dopamine,Lithium,iodides ,oral radiographic dyes,ets.Which may affect the thyroid function tests.
- (8) Generally when total T3& T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with TSH levels.

(ELECTRO-CHEMILUMINISCENCE TECHINIQUE BY ELECSYSYS -2010)

CHARAK

[Checked By]

Print.Date/Time: 11-03-2025 16:31:54

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST


Dr. Aditi D Agarwal
DR. ADITI D AGARWAL
PATHOLOGIST

Patient Name : Mr. PREM SHANKAR	Visit No : CHA250043873
Age/Gender : 60 Y/M	Registration ON : 11/Mar/2025 01:13PM
Lab No : 10141168	Sample Collected ON : 11/Mar/2025 01:15PM
Referred By : Dr. MOHD RIZWANUL HAQUE	Sample Received ON : 11/Mar/2025 01:26PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 11/Mar/2025 03:18PM
Doctor Advice : ECG,HBA1C (EDTA),TSH,FT4,SERUM IGE,BUN,CREATININE,ESR,CBC (WHOLE BLOOD),CHEST PA	



Test Name	Result	Unit	Bio. Ref. Range	Method
SERUM IGE				
SERUM IGE	773		0.10 - 100	CLIA

<u>Age group</u>	<u>Value (IU/ml)</u>
Neonates	0.1 - 1.5
Infants in first year of life	0.1 - 15.0
Children aged 1-5 Years	0.1 - 60.0
Children aged 6-9 Years	0.1 - 90.0
Children aged 10-15 Years	0.1 - 200.0
Adults	0.1 - 100.0



CHARAK



[Checked By]

Print.Date/Time: 11-03-2025 16:31:56

*Patient Identity Has Not Been Verified. Not For Medicolegal

DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST

Aditi D Agarwal
DR. ADITI D AGARWAL
PATHOLOGIST

Patient Name : Mr. PREM SHANKAR	Visit No : CHA250043873
Age/Gender : 60 Y/M	Registration ON : 11/Mar/2025 01:13PM
Lab No : 10141168	Sample Collected ON : 11/Mar/2025 01:15PM
Referred By : Dr. MOHD RIZWANUL HAQUE	Sample Received ON : 11/Mar/2025 01:27PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 11/Mar/2025 03:17PM
Doctor Advice : ECG,HBA1C (EDTA),TSH,FT4,SERUM IGE,BUN,CREATININE,ESR,CBC (WHOLE BLOOD),CHEST PA	



Test Name	Result	Unit	Bio. Ref. Range	Method
CBC (COMPLETE BLOOD COUNT)				
Hb	13.9	g/dl	12 - 15	Non Cyanide
R.B.C. COUNT	4.80	mil/cmm	3.8 - 4.8	Electrical Impedence
PCV	42.2	%	36 - 45	Pulse height detection
MCV	87.9	fL	80 - 96	calculated
MCH	29.0	pg	27 - 33	Calculated
MCHC	32.9	g/dL	30 - 36	Calculated
RDW	14.8	%	11 - 15	RBC histogram derivation
RETIC	0.7 %	%	0.5 - 2.5	Microscopy
TOTAL LEUCOCYTES COUNT	15800	/cmm	4000 - 10000	Flocytometry
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHIL	76	%	40 - 75	Flowcytometry
LYMPHOCYTES	20	%	25 - 45	Flowcytometry
EOSINOPHIL	1	%	1 - 6	Flowcytometry
MONOCYTE	3	%	2 - 10	Flowcytometry
BASOPHIL	0	%	00 - 01	Flowcytometry
PLATELET COUNT	358,000	/cmm	150000 - 450000	Elect Imped..
PLATELET COUNT (MANUAL)	358000	/cmm	150000 - 450000	Microscopy .
Absolute Neutrophils Count	12,008	/cmm	2000 - 7000	Calculated
Absolute Lymphocytes Count	3,160	/cmm	1000-3000	Calculated
Absolute Eosinophils Count	158	/cmm	20-500	Calculated
Absolute Monocytes Count	474	/cmm	200-1000	Calculated
Mentzer Index	18			
Peripheral Blood Picture	:			

Red blood cells are normocytic normochromic. WBCs show neutrophilic leucocytosis. Platelets are adequate. No parasite seen.



[Checked By]



Patient Name : Mr.PREM SHANKAR	Visit No : CHA250043873
Age/Gender : 60 Y/M	Registration ON : 11/Mar/2025 01:13PM
Lab No : 10141168	Sample Collected ON : 11/Mar/2025 01:15PM
Referred By : Dr.MOHD RIZWANUL HAQUE	Sample Received ON : 11/Mar/2025 01:26PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 11/Mar/2025 03:18PM
Doctor Advice : ECG,HBA1C (EDTA),TSH,FT4,SERUM IGE,BUN,CREATININE,ESR,CBC (WHOLE BLOOD),CHEST PA	



Test Name	Result	Unit	Bio. Ref. Range	Method
SERUM CREATININE				
CREATININE	0.60	mg/dl	0.50 - 1.40	Alkaline picrate-kinetic

TSH				
TSH	1.90	uIU/ml	0.47 - 4.52	ECLIA

Note

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism,cretinism,juvenile mysedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave~s disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the cacabolic state and may revert tonormal when the patient recovers.
- (7) There are many drugs for eg.Glucocorticoids ,dopamine,Lithium,iodides ,oral radiographic dyes,ets.Which may affect the thyroid function tests.
- (8) Generally when total T3& T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with

(1 Beckman Dxi-600 2. ELECTRO-CHEMILUMINISCENCE TECHNIQUE BY ELECSYSYS -E411)

*** End Of Report ***



[Checked By]



DR. NISHANT SHARMA DR. SHADAB DR. ADITI D AGARWAL
PATHOLOGIST PATHOLOGIST PATHOLOGIST

Signature

Patient Name	: Mr.PREM SHANKAR	Visit No	: CHA250043873
Age/Gender	: 60 Y/M	Registration ON	: 11/Mar/2025 01:13PM
Lab No	: 10141168	Sample Collected ON	: 11/Mar/2025 01:13PM
Referred By	: Dr.MOHD RIZWANUL HAQUE	Sample Received ON	:
Refer Lab/Hosp	: CHARAK NA	Report Generated ON	: 11/Mar/2025 03:58PM

ECG -REPORT

RATE : 93 bpm

* RHYTHM : Normal

* P wave : Normal

* PR interval : Normal

* QRS Axis : Normal

Duration : Normal

Configuration : Normal

* ST-T Changes : None

* QT interval :

* QTc interval : Sec.

* Other :

OPINION: ECG WITH IN NORMAL LIMITS

(FINDING TO BE CORRELATED CLINICALLY)

[DR. PANKAJ RASTOGI, MD, DM]



Patient Name	: Mr.PREM SHANKAR	Visit No	: CHA250043873
Age/Gender	: 60 Y/M	Registration ON	: 11/Mar/2025 01:13PM
Lab No	: 10141168	Sample Collected ON	: 11/Mar/2025 01:13PM
Referred By	: Dr.MOHD RIZWANUL HAQUE	Sample Received ON	:
Refer Lab/Hosp	: CHARAK NA	Report Generated ON	: 11/Mar/2025 02:49PM

SKIAGRAM CHEST PA VIEW

- Both lung fields are clear.
- Bilateral hilar shadows are prominent.
- Cardiomegaly is present.
- Both CP angles are clear.
- Soft tissue and bony cage are seen normally.
- Both domes of diaphragm are sharply defined.

IMPRESSION:

- **CARDIOMEGALY.**

Clinical correlation and Cardiac evaluation is needed.

[DR. RAJESH KUMAR SHARMA, MD]

TRANSCRIBED BY: ANUP

*** End Of Report ***

