

Patient Name : Dr.ANSHUMAN SINGH	Visit No : CHA250045586
Age/Gender : 44 Y/M	Registration ON : 15/Mar/2025 08:32AM
<b>Lab No : 10142881</b>	Sample Collected ON : 15/Mar/2025 08:34AM
Referred By : Dr.MUKESH BHAGAT	Sample Received ON : 15/Mar/2025 08:57AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 15/Mar/2025 12:58PM
Doctor Advice : HBA1C (EDTA),LFT,PP,FASTING	



Test Name	Result	Unit	Bio. Ref. Range	Method
<b>HBA1C</b>				
Glycosylated Hemoglobin (HbA1c)	<b>8.1</b>	%	4 - 5.7	HPLC (EDTA)

**NOTE:-**

Glycosylated Hemoglobin Test (HbA1c) is performed in this laboratory by the Gold Standard Reference method, ie: HPLC Technology (High performance Liquid Chromatography D10) from Bio-Rad Laboratories. USA.

**EXPECTED ( RESULT ) RANGE :**

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment

**CHARAK**

[Checked By]

Print.Date/Time: 15-03-2025 13:30:22

\*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA  
PATHOLOGIST

DR. SHADAB  
PATHOLOGIST

*Dr. Aditi D Agarwal*  
DR. ADITI D AGARWAL  
PATHOLOGIST

Patient Name : Dr.ANSHUMAN SINGH	Visit No : CHA250045586
Age/Gender : 44 Y/M	Registration ON : 15/Mar/2025 08:32AM
<b>Lab No : 10142881</b>	Sample Collected ON : 15/Mar/2025 08:34AM
Referred By : Dr.MUKESH BHAGAT	Sample Received ON : 15/Mar/2025 08:57AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 15/Mar/2025 10:33AM
Doctor Advice : HBA1C (EDTA),LFT,PP,FASTING	



Test Name	Result	Unit	Bio. Ref. Range	Method
<b>FASTING</b>				
Blood Sugar Fasting	<b>196.7</b>	mg/dl	70 - 110	Hexokinase
<b>PP</b>				
Blood Sugar PP	<b>326.1</b>	mg/dl	up to - 170	Hexokinase
<b>LIVER FUNCTION TEST</b>				
TOTAL BILIRUBIN	0.99	mg/dl	0.4 - 1.1	Diazonium Ion
CONJUGATED ( D. Bilirubin)	0.18	mg/dL	0.00-0.30	Diazotization
UNCONJUGATED ( I.D. Bilirubin)	0.81	mg/dL	0.1 - 1.0	Calculated
ALK PHOS	64.90	U/L	30 - 120	PNPP, AMP Buffer
SGPT	31.0	U/L	5 - 40	UV without P5P
SGOT	25.0	U/L	5 - 40	UV without P5P

\*\*\* End Of Report \*\*\*

CHARAK



[Checked By]

MC-2491

Print.Date/Time: 15-03-2025 13:30:25

\*Patient Identity Has Not Been Verified. Not For Medicolegal



*Sharma*

DR. NISHANT SHARMA  
PATHOLOGIST

DR. SHADAB  
PATHOLOGIST

Dr. SYED SAIF AHMAD  
MD (MICROBIOLOGY)