

Patient Name	: Mr. HARISH CHAND	Visit No	: CHA250045620
Age/Gender	: 71 Y/M	Registration ON	: 15/Mar/2025 09:32AM
Lab No	: 10142915	Sample Collected ON	: 15/Mar/2025 09:33AM
Referred By	: Dr.DAVENDRA SINGH **	Sample Received ON	: 16/Mar/2025 09:55AM
Refer Lab/Hosp	: CGHS (BILLING)	Report Generated ON	: 16/Mar/2025 06:40PM
Doctor Advice	: HBA1C (EDTA),URINE C/S,URINE COM. EXMAMINATION,HCV-RNA QUANTITATIVE (EDTA PLASMA),HIV,PP,FASTING		



Test Name	Result	Unit	Bio. Ref. Range	Method
HCV-RNA QUANTITATIVE	Not-Detected			



CHARAK

[Checked By]




DR. SYED SAIF AHMAD DR. NISHANT SHARMA DR. SHADAB
 MD MICROBIOLOGY PATHOLOGIST PATHOLOGIST

Patient Name	: Mr. HARISH CHAND	Visit No	: CHA250045620
Age/Gender	: 71 Y/M	Registration ON	: 15/Mar/2025 09:32AM
Lab No	: 10142915	Sample Collected ON	: 15/Mar/2025 09:33AM
Referred By	: Dr.DAVENDRA SINGH **	Sample Received ON	: 16/Mar/2025 09:55AM
Refer Lab/Hosp	: CGHS (BILLING)	Report Generated ON	: 16/Mar/2025 06:40PM
Doctor Advice	: HBA1C (EDTA),URINE C/S,URINE COM. EXMAMINATION,HCV-RNA QUANTITATIVE (EDTA PLASMA),HIV,PP,FASTING		



Test Name	Result	Unit	Bio. Ref. Range	Method
Specimen	EDTA Plasma			
Equipment	Gene Xpert system			
Test Principle	Real-Time QRT-PCR (Real-Time quantitative reverse transcription PCR)			
HCV – viral load (Quantitative)		Result in IU/mL		
Log Values		Log value Result in log IU/mL		

Result interpretation

Result (IU / MI)	Log values	Comments
HCV Not detected	Not applicable	HCV RNA Not detected
Below LOQ	Log 1.00	HCV RNA Detected A. More than 4 IU/mL and Less than 10 IU/mL for plasma. B. More than 6.1 IU/mL and less than 10 IU/mL for serum
10 – 100000000	Log 1 – Log 8	HCV RNA detected within linear range of assay
Above 100000000	Above log 8	HCV RNA detected above linear range of assay

Note :-

1. This assay results will always be interpreted in IU/mL only.
2. This is a quantitative assay and can't be used for blood screening.
3. This is a quantitative assay used for diagnosis and monitoring of patient and not a qualitative assay used for screening, Hence a target not detected result should not be consider as HCV Negative for the patient.
4. Quantitative viral load result are best reflected when reported using log transformed units. Logarithmic expression best reflects the process of viral replication and less subjected to error interpretation of non – clinical significant (Minor) changes.



[Checked By]



DR. SYED SAIF AHMAD DR. NISHANT SHARMA DR. SHADAB
 MD MICROBIOLOGY PATHOLOGIST PATHOLOGIST

MC-2491

Print.Date/Time: 16-03-2025 19:15:09
 *Patient Identity Has Not Been Verified. Not For Medicolegal

Patient Name	: Mr. HARISH CHAND	Visit No	: CHA250045620
Age/Gender	: 71 Y/M	Registration ON	: 15/Mar/2025 09:32AM
Lab No	: 10142915	Sample Collected ON	: 15/Mar/2025 09:33AM
Referred By	: Dr.DAVENDRA SINGH **	Sample Received ON	: 16/Mar/2025 09:55AM
Refer Lab/Hosp	: CGHS (BILLING)	Report Generated ON	: 16/Mar/2025 06:40PM
Doctor Advice	: HBA1C (EDTA),URINE C/S,URINE COM. EXMAMINATION,HCV-RNA QUANTITATIVE (EDTA PLASMA),HIV,PP,FASTING		



Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

*** End Of Report ***



CHARAK



[Checked By]



Ahmed

DR. SYED SAIF AHMAD DR. NISHANT SHARMA DR. SHADAB
 MD MICROBIOLOGY PATHOLOGIST PATHOLOGIST