

Patient Name : Ms.RICHA SINGH	Visit No : CHA250046201
Age/Gender : 20 Y/F	Registration ON : 16/Mar/2025 10:14AM
Lab No : 10143496	Sample Collected ON : 16/Mar/2025 10:16AM
Referred By : Dr.KGMU	Sample Received ON : 16/Mar/2025 10:38AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 16/Mar/2025 11:50AM
Doctor Advice : TSH,FT4,FT3	



Test Name	Result	Unit	Bio. Ref. Range	Method
FT3				
FT3	8.14	pmol/l	3.8 - 6.18	CLIA

Note

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave's disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- (7) There are many drugs for eg. Glucocorticoids, dopamine, Lithium, iodides, oral radiographic dyes, etc. Which may affect the thyroid function tests.
- (8) Generally when total T3 & T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with TSH levels.

(ELECTRO-CHEMILUMINESCENCE TECHNIQUE BY ELECSYS -2010)

CHARAK

[Checked By]

Print.Date/Time: 16-03-2025 18:00:08

*Patient Identity Has Not Been Verified. Not For Medicolegal



Sharma

DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST

Dr. SYED SAIF AHMAD
MD (MICROBIOLOGY)

Patient Name : Ms.RICHA SINGH	Visit No : CHA250046201
Age/Gender : 20 Y/F	Registration ON : 16/Mar/2025 10:14AM
Lab No : 10143496	Sample Collected ON : 16/Mar/2025 10:16AM
Referred By : Dr.KGMU	Sample Received ON : 16/Mar/2025 10:38AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 16/Mar/2025 05:28PM
Doctor Advice : TSH,FT4,FT3	



Test Name	Result	Unit	Bio. Ref. Range	Method
FT4				
FT4	28.1	pmol/L	7.86 - 14.42	CLIA

Note

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave's disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- (7) There are many drugs for eg. Glucocorticoids, dopamine, Lithium, iodides, oral radiographic dyes, etc. Which may affect the thyroid function tests.
- (8) Generally when total T3 & T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with TSH levels.

(ELECTRO-CHEMILUMINESCENCE TECHNIQUE BY ELECSYS -2010)

CHARAK

[Checked By]

Print.Date/Time: 16-03-2025 18:00:10

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST

Dr. Aditi D Agarwal
DR. ADITI D AGARWAL
PATHOLOGIST

Patient Name : Ms.RICHA SINGH	Visit No : CHA250046201
Age/Gender : 20 Y/F	Registration ON : 16/Mar/2025 10:14AM
Lab No : 10143496	Sample Collected ON : 16/Mar/2025 10:16AM
Referred By : Dr.KGMU	Sample Received ON : 16/Mar/2025 10:38AM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 16/Mar/2025 11:50AM
Doctor Advice : TSH,FT4,FT3	



Test Name	Result	Unit	Bio. Ref. Range	Method
TSH				
TSH	0.10	uIU/ml	0.7 - 6.4	ECLIA

Note

- (1) Patients having low T3 & T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- (2) Patients having low T3 & T4 levels but high TSH levels suffer from grave's disease, toxic adenoma or sub-acute thyroiditis.
- (3) Patients having either low or normal T3 & T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- (4) Patients having high T3 & T4 levels but normal TSH levels may suffer from toxic multinodular goitre. This condition is mostly asymptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- (5) Patient with high or normal T3 & T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 Toxicosis respectively.
- (6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- (7) There are many drugs for eg. Glucocorticoids, dopamine, Lithium, iodides, oral radiographic dyes, etc. Which may affect the thyroid function tests.
- (8) Generally when total T3 & T4 results are indecisive then Free T3 & Free T4 test are recommended for further confirmation along with
(1 Beckman Dxi-600 2. ELECTRO-CHEMILUMINESCENCE TECHNIQUE BY ELECSYS -E411)

*** End Of Report ***

CHARAK



MC-2491

Print.Date/Time: 16-03-2025 18:00:12

*Patient Identity Has Not Been Verified. Not For Medicolegal



Sharma

DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADAB
PATHOLOGIST

Dr. SYED SAIF AHMAD
MD (MICROBIOLOGY)