

292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003
Phone: 0522-4062223 9305548277 8400888844

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms.NITU YADAV

Age/Gender : 28 Y/F **Lab No** : 10143558

Referred By : Dr.BHAWNA M SINGH

Refer Lab/Hosp : CGHS (DEBIT)

Visit No : CHA250046263

Registration ON : 16/Mar/2025 11:13AM Sample Collected ON : 16/Mar/2025 11:13AM

Sample Received ON :

Report Generated ON : 16/Mar/2025 12:59PM

TARGETED IMAGING FOR FETAL ANOMALY (TIFFA)

- LMP is in not known.
- Single live intrauterine foetus is seen in variable lie with biometric measurement of: -
 - BPD 42 mm 18 weeks + 6 days
 - HC 158 mm 18 weeks + 5 days
 - BOD 28 mm 18 weeks + 2 days
 - AC 133 mm 18 weeks + 6 days
 - HL 29 mm 19 weeks + 3 days
 - ULNA 24 mm 18 weeks + 6 days
 - RADIUS 24 mm 19 weeks + 1 day
 - FL 28 mm 18 weeks + 4 days
 - TIB 24 mm 18 weeks + 5 days
 - FIB 23 mm 18 weeks + 2 days
- Mean gestational age is 18 weeks + 5 days (+/- 2 weeks).
- Foetal weight is approx. 256 gms (± 37 gms).
- EDD by CGA is approx. 12/08/2025 (on basis of present Sonographic age).
- Placenta is fundo-posterior. It shows grade-I maturity. No evidence of retro placental collection.
- Amniotic fluid is adequate.
- Cervical length appears normal measures 3.0cm.

Foetal morphological characters

Midline falx is seen. Foetal head shows normal cerebral ventricles. Anterior horn measures 2.5 mm
 Posterior horn measures 2.5 mm. No evidence of hydrocephalus is noted. Cavum septum
 pellucidum and thalami normal. Posterior fossa shows normal bilateral cerebellar hemisphere.
 Cisterna magna is normal in size measuring 4.0mm. Transcerebellar diameter 19 mm
 corresponding to 18 weeks 6 days. Nuchal fold measures 4.2 mm.

P.T.O





292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003
Phone: 0522-4062223 9305548277 8400888844

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com
CMO Reg. No. RMEE 2445133
NABLReg. No. MC-2491
Certificate No. MIS-2023-0218

Patient Name : Ms. NITU YADAV Visit No : CHA250046263

 Age/Gender
 : 28 Y/F
 Registration ON
 : 16/Mar/2025 11:13AM

 Lab No
 : 10143558
 Sample Collected ON
 : 16/Mar/2025 11:13AM

Referred By : Dr.BHAWNA M SINGH Sample Received ON

Refer Lab/Hosp : CGHS (DEBIT) Report Generated ON : 16/Mar/2025 12:59PM

- Foetal face shows normal bilateral orbit with normal nose and lips, mandibular echo is seen normally. Nasal bone measures 5.6 mm.
- Foetal neck does not show any obvious mass lesion.
- Foetal spine appears normal in configuration. Cross sectional imaging shows normal trilaminar pattern. No evidence of mass / spina bifida is seen.
- Foetal chest shows normal heart lung ratio. Foetal heart shows normal position and ratio. 4
 chamber foetal heart appears normal. EICF is noted in left ventricle. No mass lesion is seen in
 chest. Bilateral diaphragms are normal. Dedicated fetal 2D-echo is not a part of routine structural anomaly
 scan.
- Foetal abdomen shows normal position of foetal stomach. Liver appears normal in position. Gall bladder is anechoic in lumen. Visualized bowel loops are normal. No evidence of abnormal dilatation / mass is seen in bowel.
- Foetal urinary bladder is moderately distended.
- Foetal both kidneys are normal in size, shape & echotexture. Both renal pelvises are normal. Right renal pelvis measures mm. Left renal pelvis measures mm.
- No evidence of dilated ureters is seen.
- Foetal umbilical cord is three vessels and shows normal insertion. No evidence of foetal abdominal wall defect is seen.
- Foetal limbs are normal. Bilateral femur, tibia and fibula, humerus and radius and ulna are normal in size.
- Bilateral foetal hands & foots are grossly normal.
- Foetal cardiac activity is regular, heart rate measuring 152/min.
- Foetal body and limb movements are well seen.

P.T.O





292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100. Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms.NITU YADAV Visit No : CHA250046263

 Age/Gender
 : 28 Y/F
 Registration ON
 : 16/Mar/2025 11:13AM

 Lab No
 : 10143558
 Sample Collected ON
 : 16/Mar/2025 11:13AM

Referred By : Dr.BHAWNA M SINGH Sample Received ON

Refer Lab/Hosp : CGHS (DEBIT) Report Generated ON : 16/Mar/2025 12:59PM

OPINION:

• SINGLE LIVE FOETUS WITH MEAN GESTATION AGE OF 18 WEEKS + 5 DAYS (+/- 21 DAYS) WITH EICF IN LEFT VENTRICLE WITH NO OTHER APPARENT CONGENITAL MALFORMATION.

ADV: QUADRUPLE MARKER.

Counselling:

EICF is a soft marker for chromosomal abnormalities especially trisomy 21. However it does not increase the risk over background risk. The apriori risk of trisomy 21 in this fetus is 1:1060(serum screening not done). This can further be modified by serum screening(quadruple test) which is advised to the patient. Quadruple test has sensitivity of around 70% for trisomy 21. Availability of screening test with >99% sensitivity for trisomy 21 ie NIPT has been explained to the couple. Amniocentesis remains to be the diagnostic test for aneuploidies. In absence of aneuploidies, EICF is a benign marker and does not adversely affect cardiac function.

Note:-- I Dr. Nisma Waheed, declare that while conducting ultrasound study of Mrs. Nitu Yadav, I have neither detected nor disclosed the sex of her foetus to any body in any manner. All congenital anomalies can't be excluded on ultrasound.

- <u>Dedicated fetal 2D-echo is not a part of routine structural anomaly scan.</u>
- Chromosomal / Genetic disorders cannot be ruled out by ultrasound.

Clinical correlation is necessary.

[DR. NISMA WAHEED] [MD RADIODIAGNOSIS]

NOTE:

- $\bullet\,$ Ideal gestational age for TIFFA is between 18-20 weeks POG. Limitations of USG -
- USG has potency of detecting structural malformations in up to 60-70% of cases depending on the organ involved.
- Functional abnormalities (behavior/ mind/hearing) in the fetus cannot be detected by USG.
- Fetal hand and foot digits are difficult to count due to variable positions.
- Conditions like trisomy 21 (Down syndrome) may have normal ultrasound findings in 60% cases as reporting in literature.
- Serum screening (double marker at 11-14 weeks/quadruple or triple test at 15-20 weeks) will help in detecting more number of cases (70% by triple test/87% by quadruple and 90% by double test).
- Few malformations develop late in intrauterine life and hence serial follow up scans are equaled to rule out their presence.
- Subtle anomalies/malformations do not manifest in intrauterine life and may be detected postnatally for the first time.
- $\bullet \ \ Surgically \ correctable \ minor \ malformations \ (cleft/lip/palate/polydactyly) \ might \ be \ missed \ in \ USG.$

Clinical correlation is necessary.

[DR. NISMA WAHEED]
[MD RADIODIAGNOSIS]

Transcribed By: Gausiya



*** End Of Report ***



292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms.NITU YADAV

Age/Gender : 28 Y/F

Lab No : 10143558

Referred By : Dr.BHAWNA M SINGH

Refer Lab/Hosp : CGHS (DEBIT)

Visit No : CHA250046263

Registration ON : 16/Mar/2025 11:13AM Sample Collected ON : 16/Mar/2025 11:13AM

Sample Received ON

Report Generated ON : 16/Mar/2025 12:59PM



