

Patient Name : Ms.PRIYA MISHRA	Visit No : CHA250046673
Age/Gender : 25 Y/F	Registration ON : 17/Mar/2025 09: 30AM
Lab No : 10143968	Sample Collected ON : 17/Mar/2025 09: 32AM
Referred By : Dr.ESIC HOSPITAL LUCKNOW	Sample Received ON : 17/Mar/2025 12: 17PM
Refer Lab/Hosp : ESIC HOSPITAL LUCKNOW	Report Generated ON : 17/Mar/2025 12: 27PM
Doctor Advice : HBA1C (EDTA)	



Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C				
Glycosylated Hemoglobin (HbA1c)	5.0	%	4 - 5.7	HPLC (EDTA)

NOTE:-

Glycosylated Hemoglobin Test (HbA1c) is performed in this laboratory by the Gold Standard Reference method, ie: HPLC Technology (High performance Liquid Chromatography D10) from Bio-Rad Laboratories. USA.

EXPECTED (RESULT) RANGE :

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment

*** End Of Report ***

CHARAK

[Checked By]

Print.Date/Time: 17-03-2025 13:00:11

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA DR. SHADAB Dr. SYED SAIF AHMAD
PATHOLOGIST PATHOLOGIST MD (MICROBIOLOGY)