

Patient Name : Mr. SANJAY RANJAN
Age/Gender : 50 Y/M
Lab No : 10144313
Referred By : Dr. RDSO LUCKNOW
Refer Lab/Hosp : RDSO LUCKNOW
Doctor Advice : HBA1C (EDTA)

Visit No : CHA250047018
Registration ON : 17/Mar/2025 12:30PM
Sample Collected ON : 17/Mar/2025 12:33PM
Sample Received ON : 17/Mar/2025 02:44PM
Report Generated ON : 17/Mar/2025 06:29PM



Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C				
Glycosylated Hemoglobin (HbA1c)	5.5	%	4 - 5.7	HPLC (EDTA)

NOTE:-

Glycosylated Hemoglobin Test (HbA1c) is performed in this laboratory by the Gold Standard Reference method, ie: HPLC Technology (High performance Liquid Chromatography D10) from Bio-Rad Laboratories. USA.

EXPECTED (RESULT) RANGE :

Bio system	Degree of normal
4.0 - 5.7 %	Normal Value (OR) Non Diabetic
5.8 - 6.4 %	Pre Diabetic Stage
> 6.5 %	Diabetic (or) Diabetic stage
6.5 - 7.0 %	Well Controlled Diabet
7.1 - 8.0 %	Unsatisfactory Control
> 8.0 %	Poor Control and needs treatment

*** End Of Report ***

CHARAK

[Checked By]

Print.Date/Time: 17-03-2025 19:05:11

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADABKHAN
PATHOLOGIST

Dr. SYED SAIF AHMAD
MD (MICROBIOLOGY)