

292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003 Phone: 0522-4062223, 9305548277, 8400888844

9415577933, 9336154100, **Tollfree No.**: 8688360360

: CHA250047126

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Ms.SAYAMAWATI JAISWAL Visit No

 Age/Gender
 : 60 Y/F
 Registration ON
 : 17/Mar/2025 01:27PM

 Lab No
 : 10144421
 Sample Collected ON
 : 17/Mar/2025 01:27PM

Referred By : Dr.RAM GOPAL GUPTA Sample Received ON

Refer Lab/Hosp : CHARAK NA Report Generated ON : 17/Mar/2025 02:00PM

ULTRASOUND STUDY OF WHOLE ABDOMEN

Compromised assessment due to excessive bowel gases and patient fatty body habitus.

- <u>Liver</u> is mildly enlarged in size~173mm, and shows increased echotexture of liver parenchyma. No intrahepatic biliary radicle dilatation is seen. No space occupying lesion is seen. Hepatic veins and IVC are seen normally.
- <u>Gall bladder</u> is normal in size and shows anechoic lumen. No calculus / mass lesion is seen. GB walls are not thickened
- **CBD** is normal at porta. No obstructive lesion is seen.
- Portal vein Portal vein is normal at porta.
- <u>Pancreas</u> is normal in size and shows homogenous echotexture of parenchyma. PD is not dilated. No parenchymal calcification is seen. No peripancreatic collection is seen.
- <u>Spleen</u> is mildly enlarged in size~138mm and shows homogenous echotexture of parenchyma. No SOL is seen.
- No retroperitoneal adenopathy is seen.
- No ascites is seen.
- <u>Both kidneys</u> are normal in size and position. No hydronephrosis is seen. No calculus or mass lesion is seen. Cortico-medullary differentiation is well maintained. Parenchymal thickness is normal. No scarring is seen. Right kidney measures 98 x 40mm in size. Left kidney measures 103 x 41 mm in size.
- <u>Ureters</u> Both ureters are not dilated. UVJ are seen normally.
- <u>Urinary bladder</u> is normal in contour with anechoic lumen. No calculus or mass lesion is seen. UB walls are not thickened.
- **<u>Uterus</u>** is atrophic.
- No adnexal mass lesion is seen.

OPINION:

• Mild hepato-splenomegaly with fatty infiltration of liver grade-I.

Clinical correlation is necessary.

[DR. R.K. SINGH, MD]

Transcribed By: Purvi

*** End Of Report ***

