

292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Mr.SATTAR ALI Visit No : CHA250047141

Age/Gender : 60 Y/M Registration ON : 17/Mar/2025 01:37PM Lab No : 10144436 Sample Collected ON 17/Mar/2025 01:47PM Referred By : Dr.MANISH TANDON Sample Received ON : 17/Mar/2025 03:36PM Refer Lab/Hosp : CHARAK NA Report Generated ON 17/Mar/2025 05:08PM

Doctor Advice : AFB,FLUID PROTEIN,ALBUMIN (FLUID),Sugar (Fluid),TLC Fluid,DLC (Fluid),GRAM S STAIN,ASCITIC FLUID CYTOLOGY,ASCITIC FLUID

C/S,ASCITIC FLUID ADA

ASCITIC FLUIF R/M								
Test Name	Result	Unit	Bio. Ref. Range	Method				
TLC Fluid								
TLC (Fluid)	230/cmm.	/cmm.	Adult: 0-5/cumm, ~Neonates: 0-30/cumm					
DLC (Fluid)								
DLC (Fluid)	60%- Polymorphs, 40%- Lymphocytes		Neonates: Polymorphs 0-8 %,Lymphocytes 05 -35 %,Monocytes 50-90 % Adult: Polymorphs 0-6 %,Lymphocytes40-80 %,Monocytes 15-45 %					
Sugar (Fluid)								
Sugar (Fluid)	98	mg/dl	Adult : 40-70 mg/dl, Newborn : 60-80 mg/dl					
PROTEIN (Fluid)								
PROTEIN Fluid	0.56	g/dl						
ALBUMIN (FLUID)	V							

CHARAK



0.26

Madde

Bromcresol Green

(BCG)

Albumin (fluid)



292/05, Tulsidas Marg, Basement Chowk, Lucknow-226 003

Phone: 0522-4062223, 9305548277, 8400888844 9415577933, 9336154100, Tollfree No.: 8688360360

E-mail: charak1984@gmail.com

CMO Reg. No. RMEE 2445133 NABL Reg. No. MC-2491 Certificate No. MIS-2023-0218

Patient Name : Mr.SATTAR ALI Visit No : CHA250047141

Age/Gender : 60 Y/M Registration ON : 17/Mar/2025 01:37PM Lab No : 10144436 Sample Collected ON : 17/Mar/2025 01:47PM Referred By : Dr.MANISH TANDON Sample Received ON : 17/Mar/2025 03:36PM Refer Lab/Hosp : CHARAK NA Report Generated ON 17/Mar/2025 05:08PM

Doctor Advice : AFB,FLUID PROTEIN,ALBUMIN (FLUID),Sugar (Fluid),TLC Fluid,DLC (Fluid),GRAM S STAIN,ASCITIC FLUID CYTOLOGY,ASCITIC FLUID

C/S,ASCITIC FLUID ADA

ASCITIC FLUIF R/M						
Test Name	Result	Unit	Bio. Ref. Range	Method		
ASCITIC FLUID ADA						

ADENOSINE DEAMINASE (ADA) 0.95 u/l Serum, Plasma and Body

fluid; Normal : < 20 U/L ~Suspect: 20 -23 U/L~Positive More than 23 U/L

REMARK:-

 High values may be found in various forms of tuberculosis. It may also be increased in kidney disorders, infections mononucleosis, typhoid, viral hepatitis & malignant tumours.

2. ADA is reported to be stable in serum for 3 days and in biological fluids for 2 days at 2 - 8 degree C

AFB			
ACID FAST BACILLI	Negative	NEGATIVE	
GRAM S STIAN			
Grams Stain	Negative	NEGATIVE	

*** End Of Report ***



- Shoulk