

Patient Name : Mr. RAJAT	Visit No : CHA250047243
Age/Gender : 19 Y/M	Registration ON : 17/Mar/2025 02:39PM
Lab No : 10144538	Sample Collected ON : 17/Mar/2025 02:41PM
Referred By : Dr. MANISH TANDON	Sample Received ON : 17/Mar/2025 02:58PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 17/Mar/2025 07:06PM
Doctor Advice : PT/PC/INR,HCV,HBSAg,HIV,USG WHOLE ABDOMEN,RANDOM,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
PT/PC/INR				
PROTHROMBIN TIME	15 Second		13 Second	Clotting Assay
Prothromin concentration	79 %		100 %	
INR (International Normalized Ratio)	1.16		1.0	
HEPATITIS B SURFACE ANTIGEN (HBsAg)				
Sample Type : SERUM				

HEPATITIS B SURFACE ANTIGEN	REACTIVE (12000)		<1 - Non Reactive >1 - Reactive	CMIA
-----------------------------	------------------	--	------------------------------------	------

Note: This is only a Screening test. Confirmation of the result (Non Reactive/Reactive)should be done by performing a PCR based test.

COMMENTS:

-HBsAg is the first serological marker after infection with Hepatitis B Virus appearing one to ten weeks after exposure and two to eight weeks before the onset of clinical symptoms. HBsAg persists during the acute phase and clears late in the convalescence phase. Failure to clear HBsAg within six months indicates a chronic HBsAg carrier state. HBsAg assays are used to identify the persons infected with HBV and to prevent transmission of the virus by blood and blood products as well as to monitor the status of infected individuals in combination with other hepatitis B serological markers.
-Borderline cases must be confirmed with confirmatory neutralizing assay.

LIMITATIONS:

-Results should be used in conjunction with patient history and other hepatitis markers for diagnosis of acute and chronic infections.
-Specimens from patients who have received preparations of mouse monoclonal antibodies for diagnosis or therapy may contain human anti-mouse antibodies (HAMA) which may produce anomalous values when tested with assay kits that employ mouse monoclonal antibodies.
-Heterophilic antibodies in human serum can react with reagent immunoglobulins, interfering with in vitro immunoassays. Patients routinely exposed to animals or animal serum products can be prone to this interference and anomalous results may be observed.
-Cross reactivity for specimens from individual with medical conditions (Pregnancy, HIV etc) has been observed.
-HBsAg mutations may result in a false negative result in some HBsAg assays.
-If HBsAg results are inconsistent with clinical evidence, additional testing is suggested to confirm the result.

[Checked By]

Print.Date/Time: 17-03-2025 19:47:51

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADABKHAN
PATHOLOGIST

Dr. SYED SAIF AHMAD
MD (MICROBIOLOGY)

Patient Name : Mr. RAJAT	Visit No : CHA250047243
Age/Gender : 19 Y/M	Registration ON : 17/Mar/2025 02:39PM
Lab No : 10144538	Sample Collected ON : 17/Mar/2025 02:41PM
Referred By : Dr. MANISH TANDON	Sample Received ON : 17/Mar/2025 02:58PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 17/Mar/2025 07:06PM
Doctor Advice : PT/PC/INR,HCV,HBSAg,HIV,USG WHOLE ABDOMEN,RANDOM,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
HIV				
HIV-SEROLOGY	NON REACTIVE		<1.0 : NON REACTIVE >1.0 : REACTIVE	

Done by: Vitros ECI (Sandwich Assay)


Note:-Elisa test is a screening method for HIV. It is known to give false Positive & Negative result.
Hence confirmation: "Western Blot" method is advised.

HEPATITIS C VIRUS (HCV) ANTIBODIES

HEPATITIS C VIRUS (HCV) ANTIBODIES NON REACTIVE Non Reactive

(TRIO DOT ASSAY)

Note: This is only a Screening test. Confirmation of the result (Non Reactive/Reactive) should be done by performing a PCR based test.



CHARAK

[Checked By]

Print.Date/Time: 17-03-2025 19:47:52

*Patient Identity Has Not Been Verified. Not For Medicolegal



DR. NISHANT SHARMA
PATHOLOGIST

DR. SHADABKHAN
PATHOLOGIST

Dr. SYED SAIF AHMAD
MD (MICROBIOLOGY)

Patient Name : Mr. RAJAT	Visit No : CHA250047243
Age/Gender : 19 Y/M	Registration ON : 17/Mar/2025 02:39PM
Lab No : 10144538	Sample Collected ON : 17/Mar/2025 02:41PM
Referred By : Dr. MANISH TANDON	Sample Received ON : 17/Mar/2025 03:09PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 17/Mar/2025 05:00PM
Doctor Advice : PT/PC/INR,HCV,HBSAg,HIV,USG WHOLE ABDOMEN,RANDOM,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
CBC (COMPLETE BLOOD COUNT)				
Hb	13.3	g/dl	12 - 15	Non Cyanide
R.B.C. COUNT	4.50	mil/cmm	3.8 - 4.8	Electrical Impedence
PCV	38.9	%	36 - 45	Pulse height detection
MCV	86.3	fL	80 - 96	calculated
MCH	29.5	pg	27 - 33	Calculated
MCHC	34.2	g/dL	30 - 36	Calculated
RDW	15	%	11 - 15	RBC histogram derivation
RETIC	1.0 %	%	0.5 - 2.5	Microscopy
TOTAL LEUCOCYTES COUNT	11510	/cmm	4000 - 10000	Flocytometry
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHIL	28	%	40 - 75	Flowcytometry
LYMPHOCYTES	18	%	25 - 45	Flowcytometry
EOSINOPHIL	53	%	1 - 6	Flowcytometry
MONOCYTE	1	%	2 - 10	Flowcytometry
BASOPHIL	0	%	00 - 01	Flowcytometry
PLATELET COUNT	154,000	/cmm	150000 - 450000	Elect Imped..
PLATELET COUNT (MANUAL)	154000	/cmm	150000 - 450000	Microscopy .
Absolute Neutrophils Count	3,223	/cmm	2000 - 7000	Calculated
Absolute Lymphocytes Count	2,072	/cmm	1000-3000	Calculated
Absolute Eosinophils Count	6,100	/cmm	20-500	Calculated
Absolute Monocytes Count	115	/cmm	200-1000	Calculated
Mentzer Index	19			
Peripheral Blood Picture	:			

Red blood cells are normocytic normochromic. WBCs show leucocytosis with marked eosinophilia. Platelets are adequate. No immature cells or parasite seen.



[Checked By]




Shadab Khan

Patient Name : Mr. RAJAT	Visit No : CHA250047243
Age/Gender : 19 Y/M	Registration ON : 17/Mar/2025 02:39PM
Lab No : 10144538	Sample Collected ON : 17/Mar/2025 02:41PM
Referred By : Dr. MANISH TANDON	Sample Received ON : 17/Mar/2025 02:58PM
Refer Lab/Hosp : CHARAK NA	Report Generated ON : 17/Mar/2025 04:51PM
Doctor Advice : PT/PC/INR,HCV,HBSAg,HIV,USG WHOLE ABDOMEN,RANDOM,CBC (WHOLE BLOOD)	



Test Name	Result	Unit	Bio. Ref. Range	Method
BLOOD SUGAR RANDOM				
BLOOD SUGAR RANDOM	87.1	mg/dl	70 - 170	Hexokinase

*** End Of Report ***



CHARAK



[Checked By]

DR. NISHANT SHARMA PATHOLOGIST
DR. SHADAB PATHOLOGIST
DR. ADITI D AGARWAL PATHOLOGIST

Aditi D Agarwal