

Amended

1) Provisional Report (Without Approved)

	TATA 1MG Technologies Pvt. Ltd LABORATORY : 82/A, Ground Floor, Udyog Vihar, Phase-4, Behind Airtel Building, Gurgaon - 122015 www.1mglabs.com care@1mg.com CIN: U74140DL2015PTC279229	REGISTERED OFFICE : Level 3, Vasant Square Mall, Pocket V, Sector B, Vasant Kunj, New Delhi - 110070	ISO 9001:2015	 MC - 5337
---	--	--	--------------------------------	--



Name	: Mr.SATPAL SINGH	Registration Date	: 21-Dec-22 12:03 PM
Age/Gender	: 28 Y 0 M 0 D /Male	Collection Date	: 21/Dec/2022 12:03PM
Patient ID	: IMG285719	Sample Receive Date	: 21/Dec/2022 12:04PM
Barcode ID / Order ID	: IMG285719 / 1212	Report Status	: Provisional Report
Referred By	: SELF	Report Date	:
Sample Type	: FLUORIDE PLASMA		



BIOCHEMISTRY


Test Name	Result	Unit	Bio. Ref. Range	Method
Glucose Fasting				
Glucose - Fasting	98	mg/dL	70 - 99	Hexokinase1

Fasting Plasma Glucose (mg/dL)	2 hr plasma Glucose (mg/dL)	Diagnosis
99 or below	139 or below	Normal
100 to 125	140 to 199	Pre-Diabetes (IGT)
126 or above	200 or above	Diabetes

Reference : American Diabetes Association

2) Final Report (Approved)

	TATA 1MG Technologies Pvt. Ltd LABORATORY : 82/A, Ground Floor, Udyog Vihar, Phase-4, Behind Airtel Building, Gurgaon - 122015 www.1mglabs.com care@1mg.com CIN: U74140DL2015PTC279229	REGISTERED OFFICE : Level 3, Vasant Square Mall, Pocket V, Sector B, Vasant Kunj, New Delhi - 110070	ISO 9001:2015  MC - 5337
---	--	--	---



Name : Mr.SATPAL SINGH	Registration Date : 21-Dec-22 12:03 PM
Age/Gender : 28 Y 0 M 0 D /Male	Collection Date : 21/Dec/2022 12:03PM
Patient ID : IMG285719	Sample Receive Date : 21/Dec/2022 12:04PM
Barcode ID / Order ID : IMG285719 / 1212	Report Status : Final Report
Referred By : SELF	Report Date : 21/Dec/2022 12:06PM
Sample Type : FLUORIDE PLASMA	

BIOCHEMISTRY

Test Name	Result	Unit	Bio. Ref. Range	Method
Glucose Fasting				
Glucose - Fasting	98	mg/dL	70 - 99	Hexokinase1

Fasting Plasma Glucose (mg/dL)	2 hr plasma Glucose (mg/dL)	Diagnosis
99 or below	139 or below	Normal
100 to 125	140 to 199	Pre-Diabetes (IGT)
126 or above	200 or above	Diabetes


Reference : American Diabetes Association

3) Not Approved Remarks




Amended

Revised

Other



4) Amended Report

	TATA 1MG Technologies Pvt. Ltd LABORATORY : 82/A, Ground Floor, Udyog Vihar, Phase-4, Behind Airtel Building, Gurgaon - 122015 www.1mglabs.com care@1mg.com CIN: U74140DL2015PTC279229	REGISTERED OFFICE : Level 3, Vasant Square Mall, Pocket V, Sector B, Vasant Kunj, New Delhi - 110070	ISO 9001:2015	 MC - 5337
				

Name	: Mr.SATPAL SINGH	Registration Date	: 21-Dec-22 12:03 PM
Age/Gender	: 28 Y 0 M 0 D /Male	Collection Date	: 21/Dec/2022 12:03PM
Patient ID	: 1MG285719	Sample Receive Date	: 21/Dec/2022 12:04PM
Barcode ID / Order ID	: 1MG285719 / 1212	Report Status	: Amended Report
Referred By	: SELF	Report Date	: 21/Dec/2022 12:11PM
Sample Type	: FLUORIDE PLASMA		

BIOCHEMISTRY

Test Name	Result	Unit	Bio. Ref. Range	Method
Glucose Fasting				
Glucose - Fasting	98	mg/dL	70 - 99	Hexokinase1

Fasting Plasma Glucose (mg/dL)	2 hr plasma Glucose (mg/dL)	Diagnosis
99 or below	139 or below	Normal
100 to 125	140 to 199	Pre-Diabetes (IGT)
126 or above	200 or above	Diabetes

Reference : American Diabetes Association

CHANGE VALUE AND TEST UNITS

5) Revised & Amended Report

	TATA IIMG Technologies Pvt. Ltd LABORATORY : 82/A, Ground Floor, Udyog Vihar, Phase-4, Behind Airtel Building, Gurgaon - 122015 www.imglabs.com care@img.com CIN: U74140DL2015PTC279229	REGISTERED OFFICE : Level 3, Vasant Square Mall, Pocket V, Sector B, Vasant Kunj, New Delhi - 110070	ISO 9001:2015	 MC - 5337
				

Name	: Mr.SATPAL SINGH	Registration Date	: 21-Dec-22 12:03 PM
Age/Gender	: 28 Y 0 M 0 D /Male	Collection Date	: 21/Dec/2022 12:03PM
Patient ID	: IMG285719	Sample Receive Date	: 21/Dec/2022 12:04PM
Barcode ID / Order ID	: IMG285719 / 1212	Report Status	: Revised & Amended Report
Referred By	: SELF	Report Date	: 21/Dec/2022 12:14PM
Sample Type	: FLUORIDE PLASMA		

BIOCHEMISTRY

Test Name	Result	Unit	Bio. Ref. Range	Method
Glucose Fasting				
Glucose - Fasting	98	mg/dL	70 - 99	Hexokinase1

Fasting Plasma Glucose (mg/dL)	2 hr plasma Glucose (mg/dL)	Diagnosis
99 or below	139 or below	Normal
100 to 125	140 to 199	Pre-Diabetes (IGT)
126 or above	200 or above	Diabetes

Reference : American Diabetes Association

CHANGE NAME AND AGE